



ALEXINDO

ALUMINIUM EXTRUSION INDONESIA

TEL. +62 21 884 3460; FAX. +62 21 884 2301; WEBSITE: www.pt-alexindo.com

ALUMINIUM EXTRUSION SOLUTION

ALUMINIUM CATALOGUE

2019



ISO 9001 : 2015
CERTIFICATE ID03/00043



COMPANY PROFILE

PT ALEXINDO IS A MAJOR MANUFACTURER IN INDONESIA FOR ALUMINIUM EXTRUSION PRODUCTS.

The company is fully integrated with advanced and self supporting facilities, including Remelting, Dies workshop, Extrusion, Anodising, Flouorocarbon and Powder Coating.

The total installed production capacity is 27.000 ton per annum. The manufacturing plant is equipped with machineries capable of producing 6 series Aluminium Alloy products to meet the Industrial needs as well as residential and high rise buildings.

ALEXINDO is known as one of the market leaders in Indonesian Aluminium Extrusion market for its quality, in which Alexindo's products are being used on most of prestigious high rise buildings in Indonesia, as well as South East Asia (Singapore, Malaysia, Vietnam, Cambodia, Myanmar), Middle East (UEA, Kuwait), Australia, Hong Kong, Japan, Srilanka, United State, Central Europe, Fiji and Pacific regions.



POWDER COATING



ANODIZING



WOOD GRAIN

WOOD GRAIN. First and the only in Indonesia for an extraordinary surface finish with the latest technology for powder coating with realistiz wood texture & colours. This is not wood finish with sublimation (film layer), but this is a powder coating with twice processing used for External Application & UV Resistance.



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



SIEMENS HANSENCLEVER 3500T PRESS

Currently the biggest Extrusion Press in South East Asia.
Up to 12 inch billet and 3500T.

GENERAL INFORMATION

Alloy 6063 is a heat-treatable alloy having good combination of extrudability and mechanical properties, also responding well to polishing, anodizing, chemical brightening and dyeing. Thin-walled hollows & intricate solid shapes could be produced more readily & easily with this alloy.

ALLOY 6063

Aluminium-Magnesium-Silicon alloy (AlMgSiO)

CHEMICAL COMPOSITION

%Si	%Fe %Cu	%Cu	%Mn	%Mg	%Cr	%Zn	%Ti	%Other	%Aluminium
0.35-0.50	0.10-0.30	0.10	0.10	0.35-0.55	0.05	0.10	0.10	0.05	Remainder

MECHANICAL PROPERTIES

Temper	Ultimate Tensile Strength (MPa)	0.2%Proof Stress (MPa)	% Elongation
T4	130	69	14
T5	150	110	7
T6	185	160	7

PHYSICAL PROPERTIES

Density	$2.71 \times 10^{-6} \text{ kg/mm}^3$
Melting Range	600 – 650 °C
Specific Heat between 0 - 100°C	879 J/kg °C
Coefficient of linear expansion between 20 - 100°C	
Thermal Conductivity at 25°C	$23 \times 10^{-6} / ^\circ\text{C}$
Electrical Resistivity at 20°C	0.033Ωm
Modulus of Elasticity	69 X 103 MPa

TEMPER DESIGNATION

- F - Indicates the as-fabricated condition where to control has been exercised over the temper of the alloy.
 - T - Indicates the heat treated alloy.
 - T4 - Solution heat treatment followed by natural ageing at room temperature to a substantial stable condition.
 - T5 - Artificial ageing after an elevated temperature, rapid cooling fabrication process such as casting or extrusion.
 - T6 - Solution heat treatment followed by artificial ageing.
- For subsequent severe forming process as in bending, please opt for softer tempers.

MILL FINISH

Natural aluminium finish of the extrusion-press with no further anodizing or coloring process.

SALLOX 2000

Aluminium colour anodized finish with Sallox 2000 offer outstanding exterior durability, maximum repeatability of colour tonality, colour uniformity, gloss appearance and the formation of strong and thick aluminium oxide film serves as protection against abrasion, corrosion, ultra violet radiation and frequent buffeting by high winds normally encountered the high rise building.

ELECTRO DEPOSITION COATING (LACQUER)

The Electro Deposition (ED) / Lacquer process is the combination of the aluminium anodizing technology and the technology of electrophoresis using water - soluble coating resin. With a thickness of only 10 Microns, the ED process resin film is extremely thin and boasts uniformity, excellent weather resistance, corrosion resistance and durability.

PERFORMANCE TEST

Anodized Coating has satisfactorily passed the following test.
Thickness of Anodized Coating
Non - destructive measurement made with "Permascope" supplied by Helmut Fischer.

Quality of Anodized Coating	SNI : 07-0830-1989	ISO : 3210
Quality of Electro Deposition Coating	JIS : A 4706	JIS : H 8602

APPLICATION, RECOMMENDED ANODIC FILM THICKNESS & WARRANTY

22 - 25 Microns : Warranty 20 Years. Aluminium curtain wall and window wall in high rise building and other applications under severe atmospheric and industrial contamination where maintenance and cleaning is rarely done and long term abrasion resistance is necessary.

18 - 20 Microns : Warranty 10 Years. Aluminium curtain wall, window wall, shopfronts & other architectural applications under clean environment and minimum industrial pollution where cleaning is done periodically and long term abrasion resistance required.

10 - 12 Microns. Aluminium shopfront, window & other interior application not directly exposed to constant UV attack.



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



CONTENTS

COMPANY PROFILE	i	FRONT SERIES		CURTAIN WALL	
GENERAL INFORMATION	iii	SHOP FRONT 76.20 x 38.10	034	LIGHT DUTY	079
GENERAL SECTION		SHOP FRONT 101.60 x 44.45	038	MEDIUM DUTY	080
FLAT BAR	001	SHOP FRONT 70 x 35 x 1.15	043	HEAVY DUTY	084
SQUARE BAR	006	BUTT HINGE DOOR	046	BACK MULLION	085
ROUND BAR	007	SWING DOOR	049	ECONOMY	089
TEE SECTION	008	FRAME LESS DOOR	054	GLASS TO GLASS	093
EQUAL ANGLE	009	DOOR HANDLE	055	CURTAIN WALL - OTHERS	097
UNEQUAL ANGLE	012	ROLLING DOOR	056	OTHERS	
TUBING	016	SLIDING DOOR	059	PARTITION SECTION	102
Z SECTION	022	WINDOW SERIES		GYSUM PARTITION	104
I BEAM	022	SLIDING WINDOW	062	CEILING SECTION	108
RECTANGULAR HOLLOW	023	ECONOMY PIVOT WINDOW	065	SPANDREL SECTION	109
SQUARE HOLLOW	027	MEDIUM PIVOT WINDOW	067	LOUVRE SECTION	110
CHANNEL	030	CASEMENT WINDOW	070	SHOWCASE SECTION	115
		DOUBLE CASEMENT WINDOW	074	LADDER SECTION	122
		WINDOW WALL	076	JAMB SECTION	124
		WINDOW WALL - 70 SERIES	077	AMPLIMESH	125
		WINDOW WALL - 100 SERIES	077		
		WINDOW WALL - 76.20 SERIES	078		
		WINDOW WALL - 101.60 SERIES	078		

FLAT BAR



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Width	Thickness			
10.00	0.80	0.025	22.00	261
11.00	1.00	0.030	24.00	253
12.00	0.90	0.029	27.40	278
12.00	4.00	0.130	32.00	88
12.70	1.25	0.043	27.90	249
12.70	3.00	0.103	31.40	25
12.70	5.00	0.172	35.40	271
12.70	6.35	0.219	38.10	292
14.85	4.90	0.197	40.00	266
15.80	2.80	0.120	37.35	336
16.00	3.00	0.130	38.00	346
16.50	3.20	0.148	39.40	333
18.00	2.88	0.140	41.76	244
19.00	2.80	0.144	43.60	327
19.05	0.80	0.041	59.70	4429
19.05	0.90	0.046	39.90	1084
19.05	1.35	0.070	40.80	247
19.05	2.00	0.103	42.10	754
19.05	3.18	0.164	44.46	259
19.05	4.50	0.232	47.10	30
19.05	12.00	0.656	63.50	385
20.00	17.00	0.921	74.00	19
25.00	2.00	0.136	54.00	205
25.00	3.00	0.203	56.00	258R
25.00	4.50	0.305	59.00	267
25.00	5.00	0.339	60.00	2859
25.15	3.00	0.204	56.30	342
25.40	1.00	0.069	52.80	630
25.40	1.30	0.089	53.50	246
25.40	2.50	0.172	55.80	332
25.40	2.80	0.193	56.40	4822
25.40	3.00	0.207	56.80	364
25.40	3.18	0.219	57.16	258
25.40	4.50	0.310	59.80	37
25.40	4.76	0.328	60.32	289
25.40	6.00	0.413	62.80	32
25.40	6.35	0.437	63.50	40
25.40	9.00	0.620	68.80	319
25.40	9.53	0.656	69.86	296



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



FLAT BAR



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Width	Thickness			
25.40	10.00	0.688	70.80	23
25.40	12.70	0.874	76.20	300
31.75	4.50	0.387	72.50	318
31.75	5.00	0.430	73.50	9758
31.75	6.35	0.546	76.20	293
31.75	9.53	0.820	82.56	365
31.75	12.70	1.093	88.90	311
31.75	15.88	1.366	95.26	386
32.20	13.80	1.204	92.00	21
34.70	20.55	1.932	111.30	22
34.85	5.70	0.538	81.60	265
36.00	3.00	0.293	78.00	87
38.10	1.00	0.103	286.00	212
38.10	2.70	0.279	81.00	207
38.10	3.00	0.310	82.20	3851
38.10	4.00	0.413	84.20	276
38.10	4.50	0.465	85.20	31
38.10	6.00	0.620	88.20	33
38.10	6.35	0.656	88.90	294
38.10	9.53	0.984	95.26	297
38.10	22.20	2.292	120.60	154
38.10	25.40	2.623	127.00	307
38.10	28.60	2.953	133.40	161
40.00	1.50	0.163	83.00	257
40.00	2.00	0.217	84.00	329
40.00	2.50	0.271	85.00	206
40.00	3.00	0.325	86.00	284
40.00	8.00	0.867	96.00	2974
40.00	10.00	1.084	100.00	331
50.00	1.30	0.176	102.60	256
50.00	1.45	0.196	103.10	264
50.00	3.00	0.407	106.00	178
50.00	5.00	0.679	110.00	270
50.00	6.00	0.813	112.00	245
50.00	6.00	0.813	112.00	8531
50.00	9.00	1.220	118.00	325
50.00	35.00	4.735	161.42	338
50.80	3.00	0.413	62.80	3850
50.80	4.50	0.620	110.60	286



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

FLAT BAR



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Width	Thickness			
50.80	4.76	0.655	11.12	290
50.80	5.00	0.688	111.60	9759
50.80	6.35	0.874	114.30	295
50.80	9.53	1.312	120.66	366
50.80	12.00	1.652	125.60	36
50.80	12.70	1.748	127.00	301
50.80	22.20	3.056	146.00	143
50.80	28.60	3.937	158.80	160
50.80	35.00	4.818	171.00	162
50.89	25.40	3.503	152.58	314
53.00	1.50	0.215	109.00	268
55.00	19.00	2.832	148.00	20
60.00	0.95	0.154	121.90	24
60.00	2.00	0.325	124.00	275
62.00	42.00	7.064	208.00	339
63.50	3.00	0.516	133.00	282
63.50	3.18	0.547	133.36	287
63.50	4.50	0.774	136.00	310
63.50	6.00	1.033	139.00	326
63.50	9.53	1.640	146.06	367
63.50	12.70	2.185	152.40	302
63.50	15.88	2.733	158.76	304
63.50	22.20	3.820	171.40	147
63.50	28.60	4.922	184.20	159
63.50	35.00	6.023	197.00	165
63.50	38.10	6.556	203.20	222
63.50	45.00	7.744	217.00	145
63.50	50.80	8.742	228.60	177
70.00	30.00	5.657	200.00	348
72.00	5.00	0.976	154.00	9760
73.00	1.65	0.326	149.40	260
74.80	3.95	0.800	158.00	263
75.00	13.00	2.642	176.00	274
76.20	3.18	0.657	158.76	288
76.20	4.76	0.983	161.92	291
76.20	6.00	1.239	164.40	383
76.20	9.00	1.859	170.40	35
76.20	9.35	1.968	171.46	298
76.20	12.00	2.478	176.40	321



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



FLAT BAR



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Width	Thickness			
76.20	15.87	3.277	184.14	285
76.20	15.88	3.279	184.16	305
76.20	19.05	3.934	190.50	313
76.20	22.20	4.584	196.80	149
76.20	28.60	5.906	209.60	163
76.20	32.00	6.608	216.40	227
76.20	35.00	7.228	222.40	155
76.20	38.10	7.868	228.60	223
76.20	38.10	7.875	228.60	344
76.20	45.00	9.293	242.40	146
76.20	50.80	10.490	254.00	219
78.00	68.00	13.740	286.00	217
80.00	1.90	0.412	163.80	343
80.00	5.00	1.084	170.00	208
83.25	3.10	0.699	172.70	4325
90.00	22.20	5.415	224.40	148
90.00	25.40	6.195	230.80	225
90.00	28.60	6.976	237.20	152
90.00	32.00	7.805	244.00	221
90.00	35.00	8.537	250.00	156
90.00	38.10	9.293	256.20	176
94.00	35.00	8.916	258.00	349
95.00	65.00	16.734	320.00	337
98.00	42.00	11.192	280.00	678
100.00	2.15	0.582	204.55	5550
100.00	20.00	5.420	240.00	224
101.60	1.25	0.344	205.70	1208
101.60	4.50	1.239	212.20	38
101.60	6.00	1.652	215.20	283
101.60	8.00	2.203	219.20	755
101.60	9.35	2.624	222.26	299
101.60	12.70	3.497	228.60	303
101.60	15.88	4.372	234.96	387
101.60	22.20	6.112	247.00	150
101.60	25.40	6.994	254.00	226
101.60	25.40	6.994	254.00	308
101.60	28.60	7.875	260.40	164
101.60	35.00	9.637	273.20	157
101.60	50.80	13.987	304.80	218

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

FLAT BAR



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Width	Thickness			
110.00	45.00	13.427	310.00	335
115.00	32.00	9.973	294.00	676
115.00	36.00	11.219	302.00	679
120.00	12.00	3.902	264.00	272
127.00	6.00	2.065	266.00	34
127.00	22.20	7.641	298.40	151
127.00	25.40	8.742	304.80	309
127.00	28.60	9.843	311.20	153
150.00	13.00	5.285	326.00	277
152.40	6.00	2.478	316.80	384
152.40	22.00	9.169	349.00	158
152.50	12.70	5.249	330.40	312
155.00	32.00	13.442	374.00	677
158.00	31.00	13.274	378.00	753
162.00	2.20	0.966	328.40	345
177.50	31.00	14.912	417.00	680
200.00	5.50	2.981	411.00	7440



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SQUARE BAR



SIZE (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height / Width			
6.00	0.097	23.14	6548
7.60	0.153	30.40	18
7.80	0.165	31.20	328
8.30	0.182	33.20	17
9.50	0.243	38.00	15
9.53	0.246	38.12	368
10.00	0.270	40.00	10
11.80	0.377	47.20	1158
12.70	0.437	40.80	315
15.88	0.683	63.50	39
19.05	0.983	76.20	317
20.00	1.080	80.00	13
25.00	1.690	100.00	14
25.40	1.748	101.60	27
30.00	2.439	120.00	351
31.75	2.732	127.00	316
31.75	2.732	127.00	352
38.10	3.934	152.40	324
45.00	5.488	180.00	144
50.80	6.994	203.20	220
63.50	10.930	254.00	28
76.20	15.735	304.80	29



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

ROUND BAR



SIZE (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D			
3.15	0.021	9.90	45
4.00	0.034	12.57	74
4.50	0.043	14.14	3637
5.00	0.053	15.71	3847
6.00	0.077	18.85	75
6.70	0.096	21.05	63
6.80	0.098	21.36	68
7.00	0.104	21.99	62
7.80	0.129	24.50	65
7.94	0.134	24.94	54
8.00	0.136	25.13	41
8.50	0.154	26.70	76
9.53	0.193	29.94	61
10.00	0.213	31.42	42
11.00	0.258	34.56	64
12.70	0.343	39.90	77
15.88	0.536	49.86	60
19.05	0.772	59.85	56
22.23	1.051	69.82	44
25.40	1.373	79.80	51
25.50	1.384	80.11	59
28.30	1.705	89.54	50
31.75	2.148	99.75	47
31.75	2.146	99.75	55
32.60	2.262	102.42	58
36.00	2.758	113.09	57
38.10	3.090	119.69	52
45.00	4.310	141.37	141
49.00	5.115	153.94	46
50.00	5.326	157.08	72
50.80	5.493	159.59	8334
52.00	5.755	163.36	49
57.15	6.952	179.54	43
57.15	6.952	179.54	53
63.50	8.582	199.49	142
69.85	10.385	219.44	140
72.00	11.044	226.20	73
76.20	12.359	239.39	133
80.00	13.622	215.33	6324



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043




ROUND BAR



SIZE (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D			
82.00	14.312	257.61	139
88.00	16.498	276.46	69
90.00	17.240	282.74	134
100.00	21.284	314.16	6323



TEE SECTION



SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness			
12.60	12.60	1.00	0.066	50.40	1541
15.00	38.60	1.00	0.143	107.20	8081
19.00	19.00	3.30	0.310	76.00	1185
19.00	30.00	1.00	0.130	98.00	1544
19.05	19.05	0.90	0.091	76.20	432
19.05	19.05	1.00	0.101	76.20	1545
19.05	33.40	1.20	0.169	104.78	7162
25.00	25.00	2.00	0.260	100.00	969
25.40	25.40	0.95	0.128	101.60	1542
30.00	18.00	1.20	0.152	96.00	1540
30.00	30.00	1.40	0.221	118.20	11113
30.00	34.00	1.10	0.188	128.00	967
35.00	35.00	1.50	0.278	140.00	1511
38.10	38.10	3.00	0.595	152.40	378
38.10	38.10	4.00	0.874	152.40	379
40.00	40.00	3.30	0.686	160.00	1186
42.50	39.60	5.00	0.777	172.71	968
50.00	30.00	1.80	0.381	160.00	963
50.80	50.80	3.00	0.802	203.20	961
50.80	50.80	6.00	1.554	203.20	962
54.00	50.00	2.00	0.553	208.00	1517
125.00	50.80	4.00	1.862	351.60	2550

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

EQUAL ANGLE



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height / Width	Thickness			
9.00	0.90	0.042	36.00	1615
9.50	0.95	0.046	38.00	501
9.52	0.90	0.044	38.10	409
9.53	0.90	0.044	38.10	568
10.00	2.00	0.098	40.00	523
12.00	0.90	0.058	48.00	1609
12.60	0.95	0.062	50.80	555
12.60	1.30	0.084	50.40	555T
12.70	0.90	0.060	50.80	408
12.70	1.00	0.066	50.80	569
12.70	1.00	0.066	50.80	596
12.70	1.20	0.079	50.80	598
12.70	1.30	0.085	50.80	609
15.00	0.90	0.071	60.00	1610
15.00	2.00	0.161	63.52	213
15.88	0.90	0.075	63.52	407
15.88	1.00	0.083	63.52	570
16.00	1.30	0.108	64.00	556T
16.00	3.00	0.236	64.00	612
19.00	0.90	0.090	76.00	1611
19.00	1.00	0.101	76.00	525
19.05	0.80	0.081	76.20	748
19.05	0.90	0.091	76.20	406
19.05	1.00	0.100	76.20	571
19.05	1.20	0.120	76.20	599
19.05	2.00	0.196	76.20	9911
19.05	2.70	0.259	76.20	661
20.00	2.00	0.206	80.00	504
20.00	3.00	0.301	80.00	531
25.00	0.90	0.120	100.00	1612
25.00	1.80	0.233	99.28	671
25.00	2.00	0.260	100.00	505
25.00	2.50	0.322	100.00	2539
25.00	3.00	0.382	100.00	534
25.00	3.00	0.382	100.00	709
25.40	0.80	0.108	101.60	400
25.40	0.90	0.122	101.60	405
25.40	0.90	0.122	101.60	572
25.40	1.00	0.135	101.60	572A



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

EQUAL ANGLE



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height / Width	Thickness			
25.40	1.30	0.174	101.60	1075
25.40	2.70	0.352	101.60	662
25.40	3.00	0.389	101.60	620
25.40	4.50	0.565	101.60	708
25.50	0.95	0.129	102.00	520
30.00	0.90	0.144	120.00	1613
30.00	1.80	0.284	120.00	711
30.00	2.00	0.314	120.00	600
30.00	5.00	7.450	120.00	557
30.30	3.00	0.468	121.20	549
31.75	0.90	0.153	127.00	9915
31.75	1.10	0.186	127.00	573
31.75	2.80	0.461	127.00	567
31.75	3.00	0.492	127.00	388
31.80	1.10	0.186	127.20	563
32.00	3.00	0.496	128.00	2538
35.00	1.20	0.224	139.61	4505
37.30	1.00	0.199	149.20	751
37.30	2.00	0.393	149.20	759
38.00	0.90	0.203	152.00	1614
38.00	4.50	0.872	152.00	2540
38.10	1.00	0.204	152.40	565
38.10	1.10	0.224	152.40	564
38.10	2.00	0.402	152.40	5554
38.10	2.70	0.538	152.40	663
38.10	3.00	0.595	152.40	704
38.10	4.50	0.874	152.40	695
40.00	2.00	0.423	160.00	526
40.00	3.00	0.626	160.00	3164
40.00	4.00	0.824	160.00	558
40.00	5.00	1.016	160.00	559
45.00	3.00	0.707	180.00	9912
50.00	2.60	0.645	224.85	601
50.00	3.00	0.789	200.00	536
50.00	4.00	1.041	200.00	720
50.00	5.00	1.287	200.00	516
50.00	5.00	1.287	200.00	2549
50.80	1.10	0.300	203.20	517
50.80	1.50	0.407	203.20	566



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com




pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

EQUAL ANGLE



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height / Width	Thickness			
50.80	2.00	0.540	203.20	527
50.80	3.00	0.802	203.20	705
50.80	3.80	1.007	203.20	628
50.80	4.50	1.184	203.20	702
50.80	6.00	1.554	203.20	706
50.80	9.00	2.259	203.20	686
60.00	2.00	0.640	240.00	528
63.50	3.00	1.008	254.00	703
63.50	6.00	1.967	254.00	712
63.50	9.00	2.878	254.00	393
65.90	7.80	2.621	263.60	610
70.00	7.00	2.523	280.00	560
76.20	3.00	1.215	304.80	389
76.20	4.50	1.804	304.80	696
76.20	6.00	2.380	304.80	697
76.20	9.00	3.498	304.80	390
88.90	6.00	2.793	355.60	710
101.60	6.35	3.408	406.40	689
101.60	7.93	4.196	406.40	713
101.60	9.00	4.737	406.40	687
101.60	10.00	5.257	405.40	690
101.60	12.70	6.550	406.40	714



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

UNEQUAL ANGLE



SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness			
5.00	20.50	3.00	0.183	51.00	669
6.00	12.60	1.30	0.061	37.20	666
6.35	25.40	1.20	0.099	63.50	657
8.00	20.00	2.00	0.141	56.00	10758
9.53	19.05	1.00	0.075	57.15	551
10.00	15.00	2.00	0.125	50.00	584
11.00	12.70	1.40	0.086	47.40	618
11.00	15.00	1.30	0.087	52.00	668
11.00	17.00	1.50	0.108	56.00	667
12.20	50.00	1.60	0.267	126.40	665
12.60	25.00	1.00	0.099	75.20	652
12.70	16.00	1.00	0.075	57.40	660
12.70	19.00	2.30	0.183	63.40	4428
12.70	19.05	0.80	0.067	63.50	611
12.70	19.05	0.90	0.075	63.50	403
12.70	19.05	1.10	0.091	63.50	658
12.70	19.50	0.95	0.080	64.40	651
12.70	22.22	2.35	0.208	69.84	902
12.70	25.40	0.90	0.091	76.20	404
12.70	25.40	0.90	0.091	76.20	574
12.70	25.40	1.20	0.120	76.20	656
12.70	38.10	0.90	0.122	101.60	401
12.70	44.45	0.90	0.137	114.30	402
12.70	47.80	2.00	0.317	121.00	670
12.70	50.80	0.90	0.153	127.00	434
12.70	50.80	1.40	0.236	127.00	619
13.50	27.00	1.50	0.159	81.00	750
14.00	21.00	1.50	0.136	70.50	1713
14.00	40.00	3.80	0.517	108.00	5824
15.00	18.00	2.00	0.168	66.00	3295
15.00	20.00	2.00	0.180	70.00	586
15.00	25.00	1.50	0.157	80.00	602
15.00	25.00	2.00	0.206	80.00	608
15.00	30.00	1.80	0.216	92.00	673
15.00	40.00	1.30	0.189	110.00	587
15.00	48.00	1.50	0.250	126.00	603
16.00	29.00	2.00	0.233	90.00	10649
16.00	30.00	1.50	0.181	92.00	397
17.00	30.00	2.10	0.256	94.00	685



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

UNEQUAL ANGLE



SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness			
18.00	32.00	1.50	0.197	100.00	604
18.00	42.00	2.00	0.249	96.00	202
19.00	38.00	2.00	0.298	114.00	5599
19.05	31.75	3.00	0.389	101.60	607
19.05	38.10	3.00	0.440	114.30	369
20.00	30.00	2.00	0.260	100.00	613
20.00	35.00	1.50	0.217	110.00	605
20.00	40.00	3.00	0.463	120.00	621
25.00	35.00	2.00	0.314	120.00	615
25.00	40.00	3.00	0.504	130.00	589
25.00	50.00	2.00	0.396	150.00	617
25.40	38.10	0.90	0.152	127.00	433
25.40	38.10	3.00	0.492	127.00	698
25.40	50.80	1.05	0.214	152.40	423
25.40	50.80	5.00	0.965	152.40	664
25.40	76.20	3.00	0.802	203.20	718
25.40	101.60	1.20	0.409	254.00	747
25.50	50.50	1.25	0.254	152.00	585
28.00	36.00	2.00	0.336	128.00	629
30.00	65.00	8.00	1.886	190.00	2942
50.00	75.00	4.50	1.469	250.00	700
50.80	76.20	4.50	1.494	254.00	688
50.80	76.20	6.00	1.967	254.00	370
50.80	101.60	6.00	2.380	304.80	699
63.00	100.00	4.50	1.933	326.00	701
76.20	152.40	6.00	3.619	457.20	392



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



OTHERS

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	12.40	12.40	0.85	0.053	50.80	592
	12.50	12.50	0.80	0.049	49.34	7876
	12.70	12.70	0.90	0.059	51.30	4713
	12.70	12.70	1.15	0.074	50.46	719
	12.70	12.70	1.20	0.079	50.80	510
	15.60	15.60	0.85	0.070	63.50	593
	19.20	19.20	1.68	0.156	76.20	591
	19.50	19.50	1.80	0.168	74.63	4331
	20.00	20.00	1.50	0.152	81.84	1187
	38.00	38.00	3.00	0.593	152.50	3657
	38.10	38.10	3.00	0.561	148.12	4770
	50.80	50.80	3.00	0.756	197.73	4769
	80.00	80.00	1.40	0.594	316.81	5694
	14.70	6.00	1.30	0.062	41.40	655T
	23.00	7.10	-	0.117	55.39	1189
	23.00	6.35	1.10	0.080	58.54	595
	19.05	6.35	1.20	0.076	50.80	672
	25.40	5.55	1.20	0.096	59.50	657T



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id



WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

OTHERS

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	19.00	12.50	1.00	0.075	64.10	658A
	22.50	13.50	1.60	0.148	72.99	6377
	22.50	13.50	1.70	0.157	72.99	7880
	25.40	12.70	1.15	0.113	76.20	656A
	24.20	10.00	1.70	0.126	69.60	3245
	38.10	23.00	2.50	0.397	122.00	8566
	26.30	16.90	2.00	0.188	84.87	3243R
	27.00	21.00	2.00	0.213	93.02	3246
	26.30	16.90	1.60	0.190	84.90	3243
	40.00	28.00	5.00	0.853	135.21	2277



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

TUBING



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D	Thickness			
6.50	1.65	0.068	20.42	9757
7.50	1.00	0.055	23.56	9826
7.50	1.20	0.064	23.56	9826R
7.90	1.40	0.077	24.82	10528
8.00	1.25	0.072	25.13	3797
8.00	1.80	0.095	25.13	1176
8.50	0.80	0.052	26.70	4636
9.00	1.00	0.068	28.27	4007
9.50	1.00	0.072	29.85	4008
9.50	1.50	0.102	29.85	2975
9.50	2.00	0.128	29.85	9756
9.52	0.90	0.066	29.92	4005
9.53	2.00	0.128	29.94	5944
9.60	1.93	0.126	30.16	4088
10.60	2.50	0.172	33.30	4057
11.50	0.90	0.081	36.13	1123
11.56	1.14	0.101	36.30	10527
12.00	1.50	0.134	37.70	3082
12.00	1.80	0.156	37.70	1174
12.00	2.00	0.170	37.70	5352
12.00	2.25	0.187	37.70	4052
12.00	2.50	0.202	37.70	4047
12.50	2.00	0.179	39.27	2960
12.70	1.00	0.100	73.51	4009
12.70	2.00	0.182	39.90	5943
13.30	1.00	0.105	41.78	4072
14.00	0.80	0.090	43.98	5390
14.00	1.00	0.111	43.98	5240
14.00	1.20	0.131	43.98	10992
14.00	1.40	0.150	43.98	4064
14.00	2.60	0.252	43.98	4153
14.30	3.00	0.289	71.00	4038
15.00	1.50	0.172	47.12	5942
15.00	1.60	0.183	47.12	4156
15.80	0.90	0.114	49.64	5632
15.80	1.00	0.126	49.64	6833
15.88	1.00	0.127	49.89	4027
15.88	1.50	0.184	49.89	9743
15.88	2.80	0.311	49.89	9596



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

TUBING



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D	Thickness			
16.00	1.20	0.151	50.27	4011
16.00	1.20	0.174	50.27	4155
16.00	1.50	0.185	50.27	4013
16.00	2.00	0.238	50.27	5353
16.00	3.00	0.332	50.27	6384
16.00	3.05	0.354	50.27	4043
16.00	3.50	0.372	50.27	10307
17.75	4.00	0.468	55.76	4046
18.00	1.50	0.211	56.55	4086
18.50	3.75	0.503	61.26	7451
19.00	1.20	0.182	59.69	9672
19.00	1.50	0.223	59.69	4821
19.00	1.50	0.223	59.69	9752
19.00	1.80	0.264	59.69	4099
19.00	4.00	0.511	94.25	4034
19.05	0.85	0.132	59.85	4014
19.05	0.90	0.139	59.85	4149
19.05	1.00	0.154	59.85	4015
19.05	1.60	0.238	59.85	5403
19.05	1.78	0.261	59.85	4095
19.05	2.00	0.290	59.85	4010
19.05	3.00	0.410	59.85	843
19.10	1.65	0.245	60.00	4154
20.00	0.90	0.146	62.83	4083
20.00	1.50	0.236	62.83	4087
20.60	4.60	0.627	100.53	4037
21.00	4.00	0.579	66.97	10324
21.00	4.70	0.604	60.27	4157
21.40	2.64	0.422	117.87	4031
21.40	4.00	0.593	67.23	4665
21.70	1.30	0.226	68.17	4058
22.00	1.50	0.262	69.12	9753
22.00	2.00	0.341	69.12	4100R
22.15	3.08	0.499	69.59	9945
22.20	1.80	0.312	69.74	5941
22.20	3.00	0.490	69.74	5404
22.22	1.50	0.264	130.22	4016
22.23	0.95	0.172	69.82	4056
23.00	4.50	0.709	116.24	4035



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

TUBING



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D	Thickness			
23.10	4.80	0.748	72.57	4048
24.00	1.35	0.260	75.40	5601
24.60	0.90	0.184	77.28	2551
25.00	1.00	0.204	78.54	4119
25.00	1.50	0.300	78.54	3084
25.00	1.70	0.337	78.54	9296
25.00	1.80	0.356	78.54	1175
25.00	2.00	0.398	79.80	9553
25.00	4.50	0.785	78.54	7450
25.40	1.00	0.208	79.80	4055
25.40	1.20	0.246	79.80	4080
25.40	1.50	0.305	79.80	9754
25.40	1.50	0.305	79.80	4820
25.40	1.70	0.538	29.80	5940
25.40	2.00	0.398	79.80	5178
25.40	2.90	0.556	79.80	4018
25.40	3.00	0.572	79.80	2543
25.40	3.18	0.601	79.80	4020
25.40	4.65	0.823	130.10	4021
25.50	4.50	0.805	80.11	4044
25.95	1.35	0.283	81.52	6049
26.00	1.35	0.283	81.68	5602
26.00	4.75	0.859	81.68	4053
26.00	5.20	0.920	81.68	4104
26.70	5.00	0.924	136.34	4019
27.00	2.50	0.521	153.94	4041
27.00	5.50	1.005	84.82	8463
27.87	6.24	1.148	135.81	4042
28.00	1.20	0.274	87.96	6756
28.00	8.10	1.372	87.96	4112
28.20	3.00	0.644	88.59	9944
28.50	6.00	1.149	89.54	4054
28.60	1.40	0.324	89.85	5191
29.00	1.70	0.395	91.11	5147
29.00	2.00	0.460	91.11	5939
29.35	1.40	0.331	92.21	8335
29.40	2.00	0.467	92.36	9557
30.00	2.00	0.477	94.25	8412
30.00	10.85	1.769	94.25	5778



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

TUBING



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D	Thickness			
30.20	6.98	1.379	94.88	4040
31.75	1.27	0.329	99.75	4024
31.75	1.50	0.386	99.75	9744
31.75	2.00	0.507	79.80	9554
31.75	2.03	0.514	99.75	1240
31.75	3.00	0.734	99.75	2544
31.80	1.80	0.460	99.90	4098
32.00	1.24	0.325	100.53	4079
32.00	2.00	0.511	100.53	6655
32.00	3.00	0.741	100.53	1165
32.60	5.60	1.287	102.42	4045
33.00	1.50	0.402	103.67	8920
33.00	1.80	0.478	103.67	9471
33.80	3.25	0.845	191.96	4032
34.00	1.00	0.281	106.81	9212
36.00	6.50	1.633	113.10	10996
37.00	1.50	0.453	116.24	9559
37.15	2.95	0.859	116.71	5825
38.00	2.00	0.613	119.38	4267
38.00	3.00	0.894	119.38	2548
38.10	1.50	0.467	119.69	8919
38.10	3.00	0.897	220.54	4017
38.10	6.00	1.640	119.70	859
38.10	8.05	2.060	188.82	4039
38.70	1.70	0.536	121.60	4082
38.75	2.00	0.575	112.31	9558
39.00	2.00	0.630	122.52	6657
40.00	1.40	0.460	125.60	3555
40.00	1.80	0.585	125.66	4096
40.00	2.50	0.798	125.66	4049
40.00	3.50	1.266	144.51	4266
40.00	7.50	2.075	125.66	11575
40.40	6.20	1.805	126.62	4059
41.00	4.00	1.260	128.81	4101A
41.60	4.00	1.280	130.69	5175
42.00	1.50	0.517	131.95	9551
42.50	2.60	0.883	133.52	4111
42.90	7.95	2.366	134.77	11130
43.00	1.50	0.530	135.09	9560



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

TUBING



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D	Thickness			
43.00	2.50	0.846	138.10	5768
43.00	2.50	0.862	135.09	4120
43.00	2.90	0.990	135.09	9755
44.00	3.00	1.047	138.23	6487
44.45	3.00	1.059	139.64	2545
44.45	4.50	1.531	139.64	394
44.50	1.25	0.460	139.80	9851
44.50	3.40	1.160	139.00	1166
45.00	1.80	0.662	141.37	4097
45.00	5.00	1.683	141.37	862
46.00	3.50	1.266	144.51	4226
46.35	7.60	2.507	145.81	10997
47.80	1.50	0.587	150.17	4026
48.00	3.00	1.164	153.67	2976
48.26	3.68	1.397	151.61	10380
48.30	3.25	1.247	151.74	4033
48.80	2.60	1.023	153.31	2895
50.00	2.00	0.817	157.08	863
50.00	4.00	1.567	157.08	4265
50.80	1.30	0.630	159.59	4025
50.80	2.90	1.183	159.59	2546
50.80	3.00	1.221	159.59	857
50.80	4.50	1.774	159.59	844
50.80	6.00	2.288	159.59	860
50.80	8.60	3.090	159.59	5182
53.00	7.25	2.824	166.50	848
55.00	2.60	1.202	172.79	4076
55.50	2.00	0.911	174.36	4273
63.50	4.50	2.260	199.49	2547
63.50	2.00	1.047	199.49	6485
68.90	6.00	3.213	216.46	6330
70.00	1.50	0.875	219.91	9852
72.90	5.20	2.997	229.02	10379
73.50	9.25	5.059	230.91	4121
76.00	1.80	1.197	238.36	8697
76.20	3.00	1.870	239.39	858
76.20	6.35	3.776	239.39	849
77.00	1.50	0.964	241.90	11070
77.70	3.85	2.421	244.10	4109



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

TUBING



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D	Thickness			
77.80	1.50	0.974	244.42	11071R
77.80	1.50	0.974	244.42	11071R
79.96	3.56	2.222	241.78	10723
79.96	5.14	3.145	241.78	10724
80.00	1.80	1.198	251.33	7019
80.00	7.25	4.493	457.10	4022
80.00	10.00	5.960	251.33	6322
83.00	1.50	1.041	260.75	10833
85.70	6.35	4.290	269.23	8937
87.00	1.50	1.092	273.32	11072
87.20	5.50	3.826	273.95	6437
88.50	10.25	6.835	278.03	4092
88.90	3.00	2.194	279.29	845
88.90	12.70	8.239	279.79	396
90.40	1.50	1.135	284.00	8939
90.60	4.00	2.950	284.63	4108
95.00	2.50	1.969	298.45	5765
96.73	5.00	3.862	300.74	7529R
100.00	5.00	4.044	314.16	6321
100.00	10.00	7.662	314.16	6329
101.60	1.60	1.362	319.19	4071
101.60	1.70	319.190	1.45	4081
101.60	2.00	1.696	319.19	4051
101.60	6.00	4.883	319.19	861
101.60	12.00	9.154	319.19	852
101.60	25.40	16.480	319.19	853
120.00	10.00	9.374	376.99	4069
120.00	12.00	11.033	376.99	6327
120.50	10.25	9.631	378.56	4093
120.65	6.35	6.179	379.03	9535
126.80	2.50	2.646	398.35	1253
126.80	3.00	3.162	398.35	9838
127.00	6.00	6.181	398.99	846
152.40	3.00	3.816	478.78	4050
152.40	6.00	7.478	478.78	847
153.00	26.50	28.540	480.66	4103
160.00	5.00	6.598	502.65	6328
166.40	7.20	10.664	522.50	4084
168.27	7.00	9.611	528.64	850



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com


 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043




TUBING



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
D	Thickness			
178.00	26.50	34.180	559.20	4102
180.00	8.00	11.714	565.49	6326
190.00	10.00	15.325	596.90	491
203.20	6.00	10.073	638.37	493
203.20	12.00	19.534	638.37	492



Z SECTION



SIZE (mm)				WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Width 1	Width 2	Height	Thickness			
11.00	11.00	36.00	2.00	0.293	112.00	1566
18.00	18.00	9.30	1.00	0.115	86.68	2949
18.00	18.00	12.00	1.00	0.123	92.28	2900
20.00	8.00	26.00	1.50	0.214	100.68	6921
25.00	8.00	26.00	1.50	0.246	114.68	6920
33.00	29.00	46.00	3.00	0.677	209.36	2765
33.00	29.00	48.20	3.00	0.695	213.76	2713
35.00	20.00	20.00	2.00	0.385	146.00	1567

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043

I BEAM



SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness			
16.00	57.00	1.90	0.392	174.20	8645
20.00	20.00	1.05	0.151	107.90	8593
20.00	25.50	1.50	0.254	128.00	8655
20.00	54.00	1.50	0.370	185.00	8656
27.35	53.18	1.95	0.446	211.86	8690
30.00	40.60	1.30	0.345	198.60	8673

RECTANGULAR HOLLOW



SIZE (mm)			RADII (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness	R			
9.00	22.00	2.00	1.00	0.290	60.28	7895
10.00	20.00	1.10	-	0.168	60.00	3209
10.00	23.00	0.80	-	0.136	66.00	6345
10.00	23.00	0.90	-	0.152	66.00	6415
10.00	45.00	2.00	1.50	0.548	107.42	11198
10.00	50.00	2.00	2.00	0.598	116.57	5346
10.00	78.00	1.00	-	0.468	176.00	3746
10.80	17.80	0.90	-	0.130	58.03	8266
11.00	22.00	0.70	-	0.120	66.00	181
11.00	22.00	0.80	-	0.136	66.00	84
12.00	20.00	1.00	-	0.162	64.00	5684
12.70	19.05	1.00	-	0.161	63.50	8139
12.70	25.40	0.90	-	0.177	76.20	4221
12.70	25.40	1.00	-	0.196	76.20	4516
12.70	25.40	1.20	-	0.232	76.20	4548
12.70	25.40	1.20	-	0.232	76.20	9742
13.00	35.00	2.00	-	0.477	96.00	4556
13.00	35.00	3.00	5.00	0.634	87.42	4229
15.00	20.00	1.80	-	0.306	70.00	5975
15.00	25.00	1.50	-	0.301	80.00	4547
15.00	25.00	1.50	2.00	0.292	76.57	3999
15.00	30.00	1.50	2.00	0.333	86.57	11425
15.00	30.00	2.00	2.50	0.430	85.71	11411
15.00	31.80	1.00	-	0.242	93.60	9606
15.00	50.00	1.00	-	0.341	130.00	1711
15.00	60.00	1.80	1.50	0.691	147.42	11053
15.00	100.00	1.65	-	0.999	230.00	9986
16.00	28.00	2.00	3.00	0.415	82.85	9861
16.00	32.00	2.00	-	0.475	96.00	4474
16.00	38.50	2.00	3.00	0.529	103.85	9862
16.00	41.00	1.40	-	0.411	216.80	8748
16.00	80.00	1.00	1.00	0.506	189.68	10540R
18.00	32.00	2.50	2.00	0.600	96.57	5334
18.00	32.00	4.00	2.00	0.901	96.57	5337
19.00	25.00	1.00	3.00	0.216	82.85	4276
19.00	25.00	1.70	1.50	0.369	85.42	10916
19.00	25.40	2.00	3.00	0.419	83.65	5181
19.00	25.40	2.20	-	0.477	88.80	4571
19.05	38.10	1.20	-	0.356	114.30	768



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com


 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



RECTANGULAR HOLLOW



SIZE (mm)			RADII (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness	R			
20.00	30.00	1.50	1.00	0.380	98.28	10533
20.00	35.00	1.80	1.50	0.496	107.42	10837
20.00	37.00	1.50	-	0.439	114.00	6186
20.00	38.00	2.00	-	0.585	116.00	5494
20.00	40.00	1.20	-	0.375	120.00	9597
20.00	40.00	1.60	5.00	0.461	111.42	5190
20.00	40.00	2.00	1.00	0.605	118.28	7904
20.00	45.00	2.00	1.50	0.656	127.42	11197
20.00	50.00	2.00	2.00	0.706	136.57	5355
20.00	65.00	2.00	2.00	0.869	166.57	11040
20.00	79.80	1.00	-	0.530	199.60	3207
20.00	99.80	1.00	-	0.638	239.60	3208
22.00	30.00	1.00	-	0.271	104.00	4549
22.00	30.00	1.00	3.00	0.259	98.85	4794
22.00	32.00	0.80	2.30	0.220	104.05	4835
22.70	34.50	0.70	-	0.212	114.40	192
23.00	34.50	0.80	-	0.242	115.00	85
23.40	43.40	1.50	2.00	0.510	130.17	10476
24.00	36.00	0.80	-	0.253	120.00	6340
24.00	36.00	0.90	-	0.284	120.00	6410
25.00	45.00	2.00	3.00	0.697	134.85	5345
25.00	50.00	1.10	-	0.434	150.00	9621
25.00	70.00	2.50	-	1.220	190.00	4574
25.00	100.00	2.00	1.50	1.306	247.42	11054
25.40	38.10	0.90	-	0.301	127.00	6431
25.40	38.10	0.90	-	0.301	127.00	4218
25.40	38.10	1.00	-	0.333	127.00	430
25.40	38.10	1.20	-	0.397	127.00	9751
25.40	38.10	1.20	-	0.397	127.00	4593
25.40	40.00	1.80	1.50	0.598	128.22	10816
25.40	50.80	0.90	-	0.363	152.40	4217
25.40	50.80	1.00	-	0.402	152.40	426
25.40	50.80	1.00	-	0.402	152.40	4587
25.40	50.80	1.40	-	0.557	152.40	4512
25.40	50.80	1.40	-	0.557	152.40	4590
25.40	50.80	2.00	-	0.783	152.40	4232
25.40	50.80	2.00	2.00	0.773	148.97	5331
25.40	50.80	3.00	-	1.141	152.40	374
25.40	50.80	3.00	2.00	1.132	148.97	3998



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

RECTANGULAR HOLLOW



SIZE (mm)			RADII (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness	R			
25.40	60.00	1.80	1.50	0.793	168.22	10915
25.40	76.20	1.10	-	0.593	203.20	415
25.40	76.20	1.20	-	0.645	203.20	4513
25.40	76.20	1.50	-	0.802	203.20	1092
25.40	76.20	2.00	-	1.058	203.20	9598
25.40	76.20	2.70	-	1.408	203.20	9593
25.40	101.60	1.00	-	0.678	254.00	4712
25.40	101.60	1.20	-	0.810	254.00	4225
25.40	101.60	1.57	-	1.054	254.00	2521
25.40	101.60	1.90	-	1.269	254.00	9594
28.00	40.00	1.20	-	0.427	136.00	4603
30.00	50.00	1.80	1.50	0.740	157.42	11416
30.00	50.00	2.50	-	1.016	160.00	4569
31.75	76.20	1.50	-	0.853	215.90	4862
34.00	42.00	1.50	5.00	0.564	143.42	5183
34.00	42.00	2.30	5.00	0.849	143.42	9472
35.00	45.00	2.00	-	0.824	160.00	4560
35.00	100.00	2.00	-	1.420	270.00	4567
38.00	100.00	2.00	-	1.453	276.00	1032
38.00	100.00	2.30	-	1.665	276.00	462
38.00	125.00	2.30	-	1.977	326.00	518
38.10	76.20	1.10	-	0.668	228.60	4707
38.10	76.20	1.15	-	0.698	228.60	4233
38.10	76.20	3.00	-	1.761	226.60	375
38.10	101.60	1.20	-	0.893	279.40	770
40.00	50.00	2.50	2.00	1.142	176.57	5330
40.00	60.00	1.80	1.50	0.935	197.42	11269
40.00	60.00	2.50	-	1.287	200.00	4570
40.00	110.00	1.60	-	1.273	300.00	5738
40.00	120.00	2.50	-	2.100	320.00	4576
44.45	76.20	1.10	-	0.706	241.30	4708
44.45	76.20	1.20	-	0.769	241.30	429
44.45	76.20	1.40	-	0.894	241.30	2522
44.45	101.60	1.30	-	1.011	292.10	422
44.50	76.00	1.80	-	1.140	241.00	4589
44.50	101.50	1.80	-	1.389	292.00	4588
44.50	101.50	2.50	-	1.912	292.00	4597
45.00	100.00	2.50	-	1.897	290.00	4572
48.60	68.60	3.00	-	1.808	234.40	7917



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com


 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



RECTANGULAR HOLLOW



SIZE (mm)			RADII (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness	R			
50.00	80.00	4.00	-	2.643	258.28	8327
50.00	80.00	4.00	-	2.643	258.28	9227
50.00	101.60	2.80	-	2.228	304.80	9592
50.00	132.00	2.00	-	1.930	364.00	4600
50.80	76.20	3.00	-	1.967	254.00	179
50.80	101.60	1.40	-	1.135	304.80	497
50.80	101.60	1.80	-	1.452	304.80	2886
50.80	101.60	3.00	-	2.380	304.80	461
50.80	152.40	3.00	-	3.206	406.40	767
60.00	100.00	5.00	-	4.065	320.00	4573
70.00	155.00	1.75	-	2.103	450.00	9904
70.00	200.00	1.80	-	2.599	540.00	1641
76.20	101.60	2.95	-	2.749	355.60	215
100.00	76.00	2.30	-	2.137	352.00	2082
111.00	148.00	4.00	-	5.442	518.00	9168
160.00	90.00	6.00	-	8.172	500.00	2072



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

SQUARE HOLLOW



SIZE (mm)		RADII (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height / Width	Thickness	R			
9.00	1.00	-	0.087	36.00	4591
12.50	1.25	-	0.152	50.00	4507
12.60	1.30	-	0.159	50.40	1172
12.70	0.90	-	0.115	50.80	4508
12.70	1.00	-	0.127	50.80	4568
15.00	1.10	-	0.166	60.00	8157
15.00	1.50	-	0.382	60.00	9641
15.00	1.50	1.00	0.217	58.28	9641
15.00	1.50	2.00	0.211	56.57	4000
15.50	2.70	0.30	0.374	61.48	10436
15.88	0.90	-	0.146	63.52	4230
17.00	1.20	1.00	0.203	66.28	11043
18.00	0.90	-	0.167	72.00	4227
19.00	1.20	-	0.232	76.00	6337
19.00	1.50	-	0.285	76.00	9298
19.00	1.60	-	0.302	76.00	3307
19.05	0.90	-	0.177	76.20	8261
19.05	1.00	-	0.196	76.20	4517
20.00	0.70	-	0.146	80.00	191
20.00	1.80	1.50	0.296	77.42	10991
20.00	2.00	-	0.390	78.28	6696
20.00	2.00	1.00	0.390	78.28	6696
20.00	2.00	1.00	0.388	78.28	7901
20.00	2.00	2.00	0.381	76.57	9642
21.40	1.60	2.50	0.331	81.31	9745
21.40	2.00	2.50	0.407	81.31	9738
22.00	1.20	-	0.270	88.00	9673
22.00	2.00	-	0.434	88.00	5232
22.00	2.00	-	0.433	87.14	7903
22.00	2.00	0.50	0.433	87.14	7903
22.20	1.60	-	0.357	88.80	4595
22.60	0.70	-	0.166	90.40	182
23.50	0.80	-	0.197	94.00	6348
23.50	0.90	-	0.220	94.00	6418
25.00	0.80	-	0.210	100.00	6344
25.00	0.80	-	0.210	100.00	6414A
25.00	0.90	-	0.235	100.00	6414
25.00	1.50	-	0.382	100.00	4510
25.00	1.70	-	0.429	100.00	9297



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com


 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



SQUARE HOLLOW



SIZE (mm)		RADII (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height / Width	Thickness	R			
25.00	2.00	-	0.499	100.00	4519
25.00	2.40	2.00	0.579	96.57	5329
25.40	0.90	-	0.240	101.60	4598
25.40	1.00	-	0.264	101.60	4511
25.40	1.47	0.46	0.381	100.81	10608
25.40	1.50	-	0.389	101.60	9916
25.40	1.70	1.50	0.432	99.02	10815
25.40	2.00	1.50	0.502	99.02	10814
25.40	2.50	2.00	0.621	98.17	4284
25.40	2.80	-	0.686	101.60	4239
26.00	1.40	2.50	0.361	99.71	9739
27.00	1.50	2.00	0.400	103.02	9737
30.00	1.50	2.00	0.455	116.57	3997
30.00	1.60	-	0.493	120.00	9917
30.00	1.80	1.50	0.545	117.42	11367
30.00	2.50	-	0.745	120.00	4520
30.00	2.20	-	0.663	120.00	4520R
31.70	1.00	-	0.333	126.80	4518
31.70	1.25	-	0.413	126.80	4509
32.00	1.60	4.50	0.500	120.27	9740
32.00	2.00	-	0.650	128.00	4565
32.00	2.50	2.00	0.790	124.57	5339
34.00	1.50	1.50	0.523	133.42	11010
34.00	2.00	1.50	0.689	133.42	9918
38.00	1.20	-	0.479	152.00	5318
38.10	1.00	-	0.402	152.40	4223
38.10	1.10	-	0.441	152.40	5747
38.10	1.20	-	0.480	152.40	5652
38.10	1.50	-	0.595	152.40	9913
40.00	0.85	-	0.361	160.00	3201
40.00	1.50	-	0.626	160.00	6438
40.00	1.50	1.00	0.642	158.28	10535
40.00	2.00	2.00	0.815	156.50	817
40.00	3.00	-	1.203	159.14	7905
40.00	3.00	0.50	1.203	159.14	1950
44.00	2.49	-	1.120	176.00	8526
44.45	1.20	-	0.563	177.80	4514
50.00	1.50	-	0.789	200.00	6439
50.00	1.70	-	0.890	200.00	4711

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

SQUARE HOLLOW



SIZE (mm)		RADII (mm)	WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height / Width	Thickness	R			
50.00	1.80	1.50	0.935	197.42	10990
50.00	2.00	-	1.041	200.00	9914
50.00	2.00	2.00	1.041	169.57	9478
50.80	1.10	-	0.593	203.20	4238
50.80	1.10	-	0.593	203.20	4240
50.80	1.52	0.46	0.814	202.42	10900
50.80	2.00	-	1.058	203.20	4231
50.80	2.60	-	1.358	203.20	8356
50.80	3.00	6.00	1.492	192.90	6525
60.00	1.50	-	0.951	240.00	9919
60.00	2.00	1.00	1.255	238.28	11044
63.50	3.00	-	1.967	254.00	372
63.50	4.50	-	2.878	254.00	3750
63.50	6.00	-	3.740	254.00	459
70.00	1.50	-	1.114	280.00	7409
76.00	3.00	-	2.374	304.00	2123
76.00	3.00	1.50	2.374	301.42	2373
76.20	1.20	-	0.976	304.80	771
76.20	1.40	-	1.135	304.80	2526
76.20	1.95	-	1.569	304.80	214
76.20	6.00	-	4.566	304.80	373
100.00	1.80	-	1.907	396.57	4320
100.00	1.80	2.00	1.907	396.57	4320
100.00	4.00	-	4.163	400.00	4211
101.60	1.40	-	1.521	406.40	4506
101.60	1.95	-	2.106	406.40	216
101.60	6.00	-	6.218	406.40	460



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com


 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



CHANNEL



SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height / Width	Thickness			
9.50	0.95	0.068	55.10	1002
9.52	0.80	0.058	55.52	482
9.53	0.80	0.058	55.55	1001
9.53	1.20	0.085	54.75	646
12.70	0.80	0.079	74.60	1005
12.70	0.90	0.089	74.40	481
12.70	0.90	0.090	73.00	635
12.70	1.00	0.098	74.20	1004
12.70	1.20	0.116	73.80	641
15.00	1.00	0.117	88.00	1018
15.87	1.20	0.147	92.85	642
15.88	1.00	0.124	93.28	640
15.88	1.50	0.181	92.28	1012
18.00	1.50	0.207	105.00	9639
19.00	2.00	0.287	110.00	1008
19.05	0.95	0.142	112.40	1078
19.05	0.98	0.147	112.00	639
19.05	2.40	0.340	109.50	490
19.05	2.50	0.353	109.30	487
20.00	3.00	0.440	114.00	1070
22.30	1.60	0.276	130.60	648
25.00	2.70	0.506	144.60	631
25.00	3.00	0.561	144.00	1010
25.40	1.00	0.201	150.40	10.11
25.40	2.30	0.446	147.80	9595
25.40	2.80	0.536	146.80	489
38.00	1.40	0.422	225.20	8801
40.00	3.00	0.927	234.00	1047
50.00	1.75	0.695	296.50	1064



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

CHANNEL



SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness			
5.00	14.00	1.50	0.115	43.00	1100
5.00	60.00	2.00	0.358	136.00	1023
5.00	100.00	1.00	0.293	218.00	9933
6.00	9.20	1.50	0.074	39.40	1065
7.80	12.70	1.50	0.123	63.40	1063
8.00	32.70	1.30	0.169	98.00	638
8.00	38.10	1.10	0.155	106.00	1080
9.00	9.38	0.75	0.053	55.12	575
9.20	12.50	1.00	0.078	59.80	1062
10.00	20.00	2.00	0.195	76.00	1003
10.00	35.00	2.50	0.340	105.00	1037
12.00	12.70	0.75	0.072	74.17	576
12.70	7.94	0.90	0.077	65.08	577
12.70	19.05	1.00	0.115	86.90	3848
12.70	25.40	0.90	0.120	99.80	1085
12.70	25.40	1.20	0.157	99.40	1071
12.70	44.45	0.90	0.166	137.90	483
12.70	38.10	1.00	0.167	125.00	503
12.70	50.80	1.10	0.221	150.20	1079
12.70	50.80	1.18	0.236	150.00	1081
12.70	17.46	2.54	0.260	80.64	1144
13.00	16.00	1.60	0.168	80.80	1073
13.00	28.00	1.00	0.141	106.00	644
13.00	32.00	1.60	0.238	112.80	1072
14.00	14.40	1.00	0.111	82.60	8242
15.00	10.00	2.00	0.195	76.00	1025
15.00	25.00	1.50	0.211	107.00	1021
15.00	25.00	2.00	0.276	106.00	1006
15.00	40.40	1.20	0.221	138.40	578
15.70	9.35	1.05	0.109	78.50	488
15.80	9.50	1.00	0.106	80.40	879
16.75	48.00	1.20	0.257	160.40	634
17.00	20.50	1.00	0.192	105.00	5565
18.00	16.00	1.50	0.199	101.00	9640
19.05	38.10	3.00	0.571	146.40	724
19.05	101.60	1.00	0.374	276.54	4575
20.00	30.00	2.00	0.358	136.00	1027
20.00	30.00	2.00	0.520	134.00	1069
20.00	40.00	1.10	0.232	157.80	3214



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com


 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



CHANNEL



SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
Height	Width	Thickness			
22.00	45.00	2.00	0.461	174.00	1028
24.70	15.50	1.50	0.281	124.00	649
25.10	38.10	1.00	0.234	174.60	650
25.40	38.10	1.10	0.258	175.60	502
25.40	38.10	1.30	0.304	175.20	643
25.40	76.20	3.00	0.984	248.00	1098
25.50	32.00	1.50	0.325	163.00	633
30.00	111.00	3.00	1.341	336.00	1046
38.10	76.20	3.00	2.283	292.80	376
38.10	76.20	6.00	2.283	292.80	725
40.00	80.00	5.00	2.033	310.00	1068
50.00	27.00	2.50	0.828	248.14	9959
50.00	100.00	5.00	2.575	390.00	1015
50.80	101.60	3.00	1.603	400.40	729
50.80	101.60	6.00	3.109	394.40	377
50.80	101.60	6.00	3.109	394.40	726
50.80	101.60	8.00	3.743	394.40	728
60.00	100.00	10.00	5.420	420.00	1067
60.00	120.00	6.00	3.707	468.00	1066
67.00	40.00	2.00	0.775	290.00	1031
76.20	25.40	2.40	1.125	350.80	12.09
76.20	152.40	8.00	5.670	597.60	727



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

OTHERS

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	15.50	24.70	1.50	0.281	124.00	649
	9.00	9.00	0.80	0.054	53.39	7875
	9.50	9.50	1.00	0.071	55.83	1077A
	9.53	9.53	0.90	0.065	55.88	4715
	12.70	12.70	0.90	0.088	74.90	4714
	13.60	13.60	0.90	0.101	81.50	636
	57.00	32.00	1.50	0.479	239.25	4250
	50.80	38.10	3.00	0.983	248.50	3656
	76.20	19.00	2.40	0.520	223.00	8563
	30.00	7.00	1.30	0.153	85.60	637
	32.70	8.00	1.30	0.169	98.00	638



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo






ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOP FRONT 76.20 x 38.10




FRONT ELEVATION







034

SHOP FRONT 76.20 x 38.10



FRONT ELEVATION



HOOK SECTION

035

SHOP FRONT 76.20 x 38.10



PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	76.20	38.10	1.00	0.630	453.47	11301
	76.20	38.10	1.10	0.680	350.88	11341
	76.20	38.10	1.15	0.739	456.94	11541
	76.20	38.10	1.30	0.801	431.00	11536
	76.20	38.10	1.00	0.579	426.90	11302
	76.20	38.10	1.10	0.635	426.45	11345
	76.20	38.10	1.15	0.669	428.48	11545
	76.20	38.10	1.30	0.725	402.50	11536A
	76.20	38.10	1.00	0.568	397.02	11303
	76.20	38.10	1.10	0.610	394.40	11342
	76.20	38.10	1.15	0.663	396.68	11542
	76.20	38.10	1.30	0.717	365.00	11537
	76.20	38.10	1.00	0.517	370.50	11304
	76.20	38.10	1.10	0.565	369.97	11349
	76.20	38.10	1.15	0.590	368.58	11549
	76.20	38.10	1.00	0.529	379.49	11305
	76.20	38.10	1.10	0.570	377.22	11344
	76.20	38.10	1.15	0.627	383.00	11544
	76.20	38.10	1.30	0.684	377.00	11520
	76.20	38.10	1.00	0.478	352.93	11306
	76.20	38.10	1.10	0.525	352.79	11346
	76.20	38.10	1.15	0.551	354.48	11546
	76.20	38.10	1.30	0.608	348.50	11539
	57.76	17.00	1.00	0.283	205.82	11307
	57.76	17.00	1.10	0.308	205.42	11347
	57.76	17.00	1.15	0.346	200.50	11547
	61.00	17.00	1.30	0.368	208.65	11510
	57.76	400.00	1.00	0.182	131.00	11308
	57.76	4.00	1.10	0.197	131.76	11348
	57.76	5.00	1.15	0.225	126.50	11548
	61.00	5.00	1.30	0.246	139.00	11511
	31.75	18.95	1.00	0.200	146.30	11309
	31.75	18.95	1.00	0.204	149.17	11343
	31.75	15.77	1.15	0.232	150.25	11543
	31.75	18.85	1.27	0.247	148.16	11538

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id




WEBSITE
www.pt-alexindo.com

pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOP FRONT 76.20 x 38.10

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	76.20	38.10	1.60	0.953	440.80	11550
	76.20	38.10	1.60	0.842	385.00	11551
	31.75	19.05	1.50	0.325	156.00	11552
	57.75	13.00	1.50	0.501	265.00	11553
	76.20	38.10	1.60	0.748	352.00	11554
	57.75	5.00	1.60	0.296	141.50	11555
	76.20	59.00	1.30	0.583	363.59	11559



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo





ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOP FRONT 101.60 x 44.45




FRONT ELEVATION

038






SHOP FRONT 101.60 x 44.45



039

SHOP FRONT 101.60 x 44.45



040

SHOP FRONT 101.60 x 44.45

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	101.60	44.45	1.00	0.766	554.58	4401
	101.60	44.45	1.15	0.883	559.00	5101
	101.60	44.45	1.25	0.957	553.30	5081
	101.60	44.45	1.35	1.036	556.40	6081
	101.60	44.45	1.50	1.136	560.60	6091
	101.60	44.45	1.00	0.717	497.44	4402
	101.60	44.45	1.15	0.814	500.08	5102
	101.60	44.45	1.25	0.878	499.87	5082
	101.60	44.45	1.35	0.946	486.41	6082
	101.60	44.45	1.50	1.067	501.64	6092
	101.60	44.45	1.00	0.664	478.32	4403
	101.60	44.45	1.15	0.756	477.63	5103
	101.60	44.45	1.25	0.819	477.25	5084
	101.60	44.45	1.35	0.910	486.85	6084
	101.60	44.45	1.50	0.975	473.06	6094
	101.60	44.45	1.00	0.711	520.45	4404
	101.60	44.45	1.15	0.817	524.83	5104
	101.60	44.45	1.25	0.887	523.94	5085
	101.60	44.45	1.35	0.958	521.23	6085
	101.60	44.45	1.50	1.053	522.18	6095
	101.60	44.45	1.00	0.661	465.10	4405
	101.60	44.45	1.15	0.748	465.47	5105
	101.60	44.45	1.25	0.808	465.50	5086
	101.60	44.45	1.35	0.871	464.95	6086
	101.60	44.45	1.50	0.997	471.12	6096
	101.60	44.45	1.00	0.608	445.51	4406
	101.60	44.45	1.15	0.690	443.03	5106
	101.60	44.45	1.25	0.749	442.88	5087
	101.60	44.45	1.35	0.811	442.09	6087
	101.60	44.45	1.50	0.886	440.64	6097
	77.46	19.00	1.00	0.344	248.70	4407
	77.34	19.00	1.15	0.399	254.12	5107
	77.34	19.00	1.25	0.430	253.66	5088
	77.34	19.00	1.35	0.476	265.00	6088
	77.34	19.00	1.50	0.544	265.51	6098
	77.46	-	1.00	0.241	173.45	4408
	77.34	-	1.15	0.271	172.66	5108
	77.34	-	1.25	0.292	172.60	5089
	77.34	-	1.35	0.325	182.00	6089
	77.34	-	1.50	0.376	182.47	6099
	44.30	21.35	0.90	0.245	197.73	4409
	44.30	21.35	1.10	0.294	196.33	5083
	44.30	21.35	1.20	0.319	195.79	6083



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



SHOP FRONT 101.60 x 44.45

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	101.60	44.50	1.80	1.400	548.00	6063
	101.60	44.50	1.80	1.227	471.00	6064
	44.30	20.50	1.50	0.401	193.00	6065
	77.60	17.50	1.80	0.707	272.00	6066
	77.60	-	1.80	0.508	207.00	6067
	101.60	44.50	1.80	1.173	455.00	6068
	101.60	44.50	1.80	1.300	462.00	6069
	128.00	3.30	1.50	0.555	272.20	6070
	12.80	16.85	1.00	0.125	90.25	6071 R



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOP FRONT 70 x 35 x 1.15


OUTSIDE VIEW



043


SHOP FRONT 70 x 35 x 1.15

OUTSIDE VIEW





044

INSIDE




OUTSIDE

SHOP FRONT 70 x 35 x 1.15

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	70.00	35.00	1.15	0.672	422.01	13561
	70.00	35.00	1.15	0.599	388.45	13562
	70.00	35.00	1.15	0.572	358.44	13563
	70.00	35.00	1.15	0.500	324.88	13564
	70.00	35.00	1.15	0.594	369.64	13565
	70.00	35.00	1.15	0.522	336.08	13566
	28.00	18.35	1.15	0.217	140.80	13567
	47.00	4.90	-	0.183	12122.00	13568
	47.00	17.15	1.15	0.282	184.57	13569

OTHERS

	35.00	12.50	1.65	0.233	102.40	8711
	35.00	12.70	1.00	0.146	110.21	5959
	35.00	12.70	1.15	0.175	107.30	7586
	35.00	12.70	1.30	0.214	106.80	8017
	50.50	12.50	1.65	0.301	113.40	7017
	50.80	12.70	1.00	0.189	141.81	7587
	50.80	12.70	1.15	0.224	138.90	7587
	50.80	12.70	1.35	0.265	138.40	8018



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id




WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

BUTT HINGE DOOR




046


H

INSIDE

INSIDE

047





BUTT HINGE DOOR

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	60.00	34.00	1.40	0.793	271.09	12697
	75.00	40.50	1.40	0.872	328.76	12698
	71.00	42.00	1.40	0.835	295.61	12699
	120.00	32.00	1.40	1.355	381.82	12700
	82.00	34.00	1.30	0.915	315.89	12921
	97.00	40.50	1.30	0.979	373.36	12922
	100.00	32.00	1.30	1.166	361.25	12923
	70.00	35.00	1.15	0.589	369.05	13570
	18.63	21.29	-	0.153	110.23	13600



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043


SWING DOOR SHOP FRONT 70 x 35 x 1.15



OUTSIDE VIEW





OUTSIDE VIEW






049

SWING DOOR SHOP FRONT 70 x 35 x 1.15




050

SWING DOOR







051

SWING DOOR



052

SWING DOOR

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	41.20	63.35	1.30	0.782	297.29	4201
	41.20	63.35	1.40	0.844	436.75	6043
	41.20	63.35	1.70	0.995	295.52	6073
	65.00	33.00	1.30	0.701	281.40	1661
	69.55	44.45	1.30	0.949	356.38	4202
	69.55	44.45	1.40	1.028	527.96	6044
	69.55	44.45	1.70	1.268	353.18	6060
	65.00	36.50	1.30	0.784	291.54	1662
	69.55	44.45	1.30	0.974	368.08	4203
	69.55	44.45	1.40	1.080	548.10	6045
	69.55	44.45	1.70	1.320	364.42	6074
	65.00	36.50	1.30	0.801	303.21	1663
	114.10	41.20	1.30	1.160	418.03	4204
	114.10	41.00	1.40	1.407	635.81	6061
	114.10	41.20	1.70	1.557	416.57	6072
	65.00	33.00	1.30	0.736	245.40	1666
	14.25	17.70	1.10	0.165	119.65	6062
	14.25	17.70	1.40	0.165	119.65	6062
	14.25	17.70	1.70	0.165	119.65	6062
	10.60	15.80	1.00	0.125	-	1664
	69.55	44.45	1.30	1.038	367.45	5730
	44.45	69.55	1.40	1.112	368.14	7140
	44.45	69.55	1.70	1.284	365.52	6042
	65.00	36.50	1.30	0.836	302.37	1665



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo








ISO 9001 : 2015
CERTIFICATE ID03/00043

FRAME LESS DOOR




FRONT ELEVATION




054

FRAME LESS DOOR

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	85.00	38.00	-	1.779	430.70	11489
	87.60	37.60	-	2.143	413.70	11490
	80.00	29.35	-	2.184	365.02	777

DOOR HANDLE

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	97.00	36.75	-	1.465	303.91	7602
	106.30	29.50	-	1.741	362.38	8545
	110.00	36.00	-	1.425	350.00	8541
	108.00	29.00	-	1.144	315.00	8536
	96.00	35.00	-	1.329	303.18	8988
	103.63	29.50	-	1.577	359.21	8276
	102.00	41.00	-	1.680	339.00	8551
	39.50	29.50	3.60	0.906	176.00	8542
	39.50	29.50	3.00	0.781	178.87	6724
	36.00	28.00	1.75	0.380	168.70	7916
	40.00	30.00	3.00	0.721	176.25	8230
	39.50	29.30	2.00	0.526	178.81	8991



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043








ROLLING DOOR



056



ROLLING DOOR

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	58.02	10.08	0.80	0.209	168.55	4632
	48.00	9.40	0.80	0.186	143.08	4688
	50.15	10.10	0.80	0.201	153.50	4628
	58.01	10.13	0.80	0.209	166.65	4697
	50.00	10.50	0.80	0.199	149.34	7887
	58.80	10.10	0.90	0.216	165.67	4685R
	50.35	10.10	-	0.206	147.76	4686R
	58.01	10.18	0.90	0.226	166.63	4627
	50.01	10.18	0.90	0.206	150.63	4626
	58.40	10.75	0.90	0.241	169.46	8092
	49.15	11.15	0.90	0.227	156.28	8091
	59.00	9.70	0.90	0.214	169.48	5723
	58.25	10.75	0.90	0.243	170.00	7620
	59.00	9.70	0.90	0.214	173.31	4689
	58.25	10.75	0.90	0.243	170.00	7623
	47.33	9.70	0.90	0.193	151.52	5722R
	48.25	10.65	1.00	0.238	154.00	7203
	49.50	10.65	1.00	0.251	151.28	7204



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id



WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

ROLLING DOOR

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	49.80	11.00	1.00	0.252	149.00	7099
	49.30	11.78	1.00	0.250	150.00	7098
	50.00	10.70	1.00	0.235	149.62	7886
	59.00	10.30	1.00	0.253	169.00	7104
	59.00	10.30	1.00	0.249	168.53	6834
	59.00	10.30	1.00	0.249	168.53	6834
	87.40	30.00	1.00	0.606	434.39	4633
	44.00	30.00	1.10	0.321	238.77	4634
	43.65	28.40	1.00	0.382	228.00	8096
	57.80	79.58	1.25	0.715	283.50	7105
	57.70	60.00	1.00	0.488	244.00	7106
	57.70	60.00	1.00	0.483	256.40	8036
	57.70	60.00	1.00	0.474	244.28	4687
	50.00	11.75	1.10	0.302	158.00	8575
	52.10	12.50	1.20	0.352	160.00	8578
	44.45	25.40	2.00	0.651	226.21	8331
	44.45	44.45	2.00	0.939	264.31	8744
	60.00	81.00	2.50	1.306	330.38	8745



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com




EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com











ISO 9001 : 2015
CERTIFICATE ID03/00043

SLIDING DOOR



059

SLIDING DOOR

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	38.10	38.10	1.00	0.480	252.05	11281
	50.80	28.30	1.00	0.483	228.34	11282
	25.40	35.00	1.00	0.369	267.00	11283
	79.10	22.20	1.00	0.384	283.96	11284
	76.20	34.90	1.00	0.590	425.48	11285
	76.20	25.00	1.00	0.464	316.73	11286
	69.85	25.40	1.00	0.570	397.31	11287
	35.60	26.50	1.00	0.266	193.18	11288
	45.20	36.50	1.00	0.352	258.09	11289
	43.20	22.20	1.00	0.246	181.51	11291
	43.20	19.00	1.00	0.275	164.88	11295
	35.60	18.70	1.15	0.257	165.20	11491
	50.80	28.30	1.15	0.532	353.60	11492
	38.10	38.10	1.15	0.583	344.90	11493
	69.85	25.40	1.15	0.675	391.66	11494
	35.00	25.40	1.15	0.434	268.44	11495
	79.10	22.20	1.15	0.455	290.83	11496
	76.20	34.90	1.15	0.756	425.25	11497



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id





WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SLIDING DOOR

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	76.20	25.00	1.15	0.593	305.60	11498
	69.85	25.40	1.15	0.675	391.66	11499
	50.50	28.00	1.50	0.701	223.00	11522
	25.40	35.00	1.40	0.519	245.00	11527
	70.00	24.50	1.40	0.739	370.00	11528
	34.50	22.00	1.40	0.318	171.50	11529
	77.00	35.00	1.50	0.894	414.00	11530
	77.00	25.40	1.50	0.680	320.50	11531
	81.00	22.00	1.50	0.601	295.00	11532
	38.10	38.10	1.35	0.657	231.00	11533
	108.03	34.92	1.20	0.999	608.50	912
	107.90	34.92	1.10	0.795	430.80	913
	111.13	22.22	1.20	0.587	356.40	914
	34.60	19.50	1.20	0.397	171.60	925
	25.40	31.85	1.20	0.410	173.56	926
	25.40	28.58	1.20	0.469	208.88	927
	53.93	21.97	1.20	0.501	310.18	928
	21.97	25.40	1.20	0.384	222.68	932



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043

SLIDING WINDOW









FRONT ELEVATION



062

SLIDING WINDOW

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	20.80	24.99	1.00	0.262	134.53	5093
	28.58	24.99	1.00	0.319	178.52	5094
	46.99	17.98	1.00	0.353	247.63	5095
	17.98	24.99	1.00	0.259	183.10	5096
	62.04	21.49	1.00	0.317	234.96	5097
	59.08	24.49	1.00	0.443	308.50	5098
	59.08	20.62	1.00	0.348	235.78	5099
	59.20	35.00	1.00	0.387	264.70	5100
	25.40	15.88	1.00	0.154	115.73	5109
	25.40	31.85	1.05	0.367	173.56	886
	25.40	28.58	1.05	0.417	208.88	887
	53.93	21.97	1.05	0.457	310.18	888
	73.00	22.22	1.05	0.412	279.80	889
	69.86	31.75	1.05	0.585	382.30	890
	69.86	34.93	1.05	0.545	314.00	891
	21.79	25.40	1.05	0.334	222.68	892
	25.40	15.88	1.10	0.165	114.02	3101
	20.80	24.99	1.10	0.290	189.97	3102



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com




 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



SLIDING WINDOW

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	28.58	24.99	1.10	0.355	230.41	3103
	46.99	17.98	1.10	0.385	242.60	3104
	17.98	24.99	1.10	0.270	182.70	3105
	62.04	21.49	1.10	0.338	236.70	3106
	59.08	24.49	1.10	0.492	300.43	3107
	59.08	20.62	1.10	0.385	236.04	3108
	59.20	35.00	1.10	0.428	264.50	3109



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043

ECONOMY PIVOT WINDOW




065

ECONOMY PIVOT WINDOW



6

7



8





9



10

066

MEDIUM PIVOT WINDOW



067

068



PIVOT WINDOW

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			

ECONOMY PIVOT WINDOW

	41.00	31.00	1.00	0.439	217.67	3316
	33.30	18.00	1.10	0.209	141.49	3317
	35.00	39.80	1.50	0.587	281.42	3318
	41.00	39.80	1.50	0.796	391.07	3319
	41.00	35.00	1.90	0.678	266.00	3320
	41.00	46.00	1.50	0.731	336.37	3325
	41.00	20.15	2.00	0.386	151.50	3326

MEDIUM PIVOT WINDOW

	50.80	48.00	2.00	1.125	417.84	3329
	34.00	12.70	1.00	0.197	142.80	3330
	50.80	18.38	-	0.557	211.50	3331
	50.80	41.00	2.25	1.235	395.30	3332
	50.80	41.00	2.50	0.940	292.00	3333



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043

SINGLE ECONOMY CASEMENT WINDOW



070

CASEMENT WINDOW



071



CASEMENT WINDOW

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			

ECONOMY CASEMENT WINDOW

	28.70	27.30	1.40	0.303	156.50	3321
	28.70	36.00	1.40	0.342	178.00	3322
	28.70	36.00	1.40	0.342	178.00	3323
	27.00	15.00	1.00	0.163	112.50	3324

CASEMENT WINDOW

	41.00	30.40	1.00	0.303	215.87	4423
	35.00	39.80	1.00	0.409	204.24	4422
	33.60	17.80	1.00	0.186	136.31	3604
	41.00	30.40	1.05	0.327	215.50	5090
	35.00	39.80	1.05	0.437	204.22	5091
	41.00	46.00	1.05	0.560	222.40	5092
	41.00	19.05	1.05	0.223	144.75	6733
	33.18	18.00	1.00	0.187	137.60	921
	41.00	30.40	1.05	0.324	216.64	5090R
	35.00	39.80	1.05	0.435	205.16	5091R
	41.00	46.00	1.05	0.554	224.69	5092R
	33.40	17.90	1.00	0.189	138.14	921R



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id



WEBSITE
www.pt-alexindo.com

pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

CASEMENT WINDOW

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	41.00	31.00	1.20	0.360	211.97	3603
	35.00	40.00	1.20	0.482	198.87	3602
	41.00	46.00	1.20	0.604	216.98	3601
	33.60	17.80	1.00	0.186	136.31	3604
	35.00	37.50	1.20	0.595	237.41	435
	35.00	37.50	1.10	0.542	238.78	436
	35.00	37.20	1.00	0.488	240.02	474
	35.00	37.20	0.90	0.441	240.53	4416
	35.00	39.80	1.05	0.513	236.87	11186
	35.00	38.60	1.20	0.507	242.03	7050
	40.00	47.90	1.40	0.602	225.39	1056
	40.00	55.00	1.40	0.734	247.78	1058
	24.80	18.90	1.00	0.147	103.55	1057



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id



WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

DOUBLE CASEMENT WINDOW




074

CASEMENT WINDOW

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			

DOUBLE CASEMENT WINDOW

	47.80	33.50	1.50	0.445	217.90	3312
	29.00	17.60	-	0.255	143.34	3313
	47.80	33.50	1.50	0.713	346.24	3314
	41.40	19.50	1.50	0.295	147.00	3315
	47.80	54.24	1.50	0.794	386.50	3327
	47.80	28.50	1.50	0.440	213.00	3328



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id




WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

WINDOW WALL











076




WINDOW WALL

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			

WINDOW WALL - 70 SERIES

	33.30	18.00	1.10	0.209	141.49	3317
	70.00	48.15	1.50	0.794	376.96	5951
	70.00	30.00	1.50	0.790	385.00	7096
	57.75	23.15	1.50	0.401	192.10	7097
	70.00	30.00	1.30	0.689	383.38	7322
	33.60	17.80	1.00	0.186	136.31	3604
	57.75	24.04	1.30	0.351	197.12	7323
	70.00	30.00	1.15	0.626	384.55	9217
	57.75	24.04	1.15	0.326	197.21	9218
	70.00	30.00	1.00	0.552	383.42	9572
	33.60	17.80	1.00	0.186	136.31	3604

WINDOW WALL - 100 SERIES

	33.30	18.00	1.10	0.209	141.49	3317
	100.00	58.00	1.35	0.954	512.71	12368
	77.00	-	1.35	0.456	241.87	12369
	100.00	58.00	1.35	0.893	486.06	12370



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



WINDOW WALL

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			

WINDOW WALL - 76.20 SERIES

	57.75	23.20	1.00	0.285	194.99	9573
	76.20	56.10	1.00	0.630	440.62	12665
	76.20	56.10	1.00	0.708	440.11	12671
	57.80	23.20	1.15	0.318	195.41	12672

WINDOW WALL - 101.60 SERIES

	101.00	63.00	1.35	1.012	537.01	9016
	77.00	-	1.35	0.471	242.17	9017
	101.00	81.00	1.35	1.443	419.84	9018
	101.00	63.00	1.35	1.024	544.72	9019
	101.00	63.00	1.15	0.882	539.11	10522
	77.00	24.10	1.15	0.413	242.80	10523
	101.60	62.45	1.25	0.923	532.90	12341
	77.20	18.00	1.25	0.409	235.58	12342
	101.60	62.45	1.00	0.755	533.45	12458
	77.20	23.00	1.00	0.335	234.98	12459
	101.60	62.45	1.20	0.884	532.75	13202
	77.20	23.50	1.20	0.392	236.43	13203



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id





WEBSITE
www.pt-alexindo.com

pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043

LIGHT DUTY CURTAIN WALL



079

LIGHT DUTY CURTAIN WALL




DIE 6121

t = 2.00 mm
W = 1.548 kg/m
P = 554.00 mm




DIE 6122

t = 1.50 mm
W = 0.320 kg/m
P = 157.50 mm




DIE 6123

t = 1.50 mm
W = 0.728 kg/m
P = 369.00 mm



DIE 6124


t = 1.50 mm
W = 0.297 kg/m
P = 151.40 mm



DIE 11540


W = 0.124 kg/m
P = 69.69 mm

MEDIUM DUTY CURTAIN WALL




DIE 6018

t = 1.60 mm
W = 0.124 kg/m
P = 69.69 mm



DIE 6019

t = 1.80 mm
W = 0.124 kg/m
P = 69.69 mm




DIE 6020

t = 1.40 mm
W = 0.274 kg/m
P = 148.33 mm


080

MEDIUM DUTY CURTAIN WALL




DIE 6021

t = 1.60 mm
W = 0.349 kg/m
P = 176.60 mm




DIE 6022

t = 1.40 mm
W = 0.970 kg/m
P = 302.79 mm




DIE 6273

W = 1.233 kg/m
P = 319.10 mm




DIE 6274

W = 1.236 kg/m
P = 306.30 mm




DIE 6275

W = 1.319 kg/m
P = 283.20 mm




DIE 6276

W = 0.859 kg/m
P = 197.50 mm




DIE 6277

t = 3.00 mm
W = 1.306 kg/m
P = 196.73 mm



DIE 6278

t = 1.25 mm
W = 1.306 kg/m
P = 196.73 mm




DIE 6277

t = 3.00 mm
W = 1.306 kg/m
P = 196.73 mm


081

MEDIUM DUTY CURTAIN WALL




DIE 6125

t = 2.00 mm
W = 2.142 kg/m
P = 653.41 mm




DIE 6126

t = 1.50 mm
W = 0.285 kg/m
P = 152.00 mm




DIE 6127

t = 2.25 mm
W = 1.024 kg/m
P = 351.61 mm




DIE 6128

t = 3.00 mm
W = 0.840 kg/m
P = 234.50 mm




DIE 6129

t = 2.00 mm
W = 1.077 kg/m
P = 403.25 mm



DIE 6130

t = 1.50 mm
W = 0.195 kg/m
P = 92.21 mm




DIE 6131

W = 0.614 kg/m
P = 227.00 mm


082

MEDIUM DUTY CURTAIN WALL




DIE 6132

t = 1.50 mm
W = 1.138 kg/m
P = 304.67 mm




DIE 6133

t = 3.00 mm
W = 0.237 kg/m
P = 79.80 mm




DIE 6134

t = 1.40 mm
W = 1.467 kg/m
P = 413.85 mm




DIE 6015

t = 2.00 mm
W = 0.859 kg/m
P = 182.40 mm




DIE 6016

t = 1.80 mm
W = 0.997 kg/m
P = 411.10 mm



DIE 6017

t = 1.20 mm
W = 0.407 kg/m
P = 245.13 mm




DIE 8812

t = 1.45 mm
W = 0.315 kg/m
P = 151.50 mm


083

HEAVY DUTY CURTAIN WALL




DIE 5250

t = 1.20 mm
W = 0.290 kg/m
P = 175.47 mm




DIE 9256

t = 1.15 mm
W = 0.227 kg/m
P = 147.36 mm




DIE 9257

t = 1.80 mm
W = 1.219 kg/m
P = 479.18 mm




DIE 9258

t = 1.15 mm
W = 0.389 kg/m
P = 240.99 mm



DIE 9260

t = 2.00 mm
W = 1.688 kg/m
P = 339.40 mm





DIE 9261

t = 1.80 mm
W = 1.859 kg/m
P = 454.01 mm


084

BACK MULLION CURTAIN WALL




085

BACK MULLION CURTAIN WALL




086

BACK MULLION CURTAIN WALL




DIE 6001

t = 1.50 mm
W = 0.143 kg/m
P = 83.00 mm




DIE 6002

t = 1.20 mm
W = 0.639 kg/m
P = 247.00 mm



DIE 6003

t = 1.50 mm
W = 0.874 kg/m
P = 280.00 mm




DIE 6004

W = 1.138 kg/m
P = 332.00 mm




DIE 6005

W = 0.857 kg/m
P = 160.00 mm




DIE 6006

t = 1.20 mm
W = 0.611 kg/m
P = 208.00 mm




DIE 6007

t = 1.15 mm
W = 0.844 kg/m
P = 332.00 mm



DIE 6008

t = 1.00 mm
W = 0.276 kg/m
P = 206.00 mm














DIE 6009

W = 0.357 kg/m
P = 107.00 mm






087

BACK MULLION CURTAIN WALL







088

ECONOMY CURTAIN WALL





089

ECONOMY CURTAIN WALL




090

ECONOMY CURTAIN WALL




091

ECONOMY CURTAIN WALL




DIE 4208

t = 1.20 mm
W = 0.230 kg/m
P = 130.74 mm




DIE 4209

t = 1.20 mm
W = 0.536 kg/m
P = 267.68 mm




DIE 4210

t = 1.20 mm
W = 0.186 kg/m
P = 118.12 mm




DIE 5648

t = 1.20 mm
W = 1.303 kg/m
P = 423.17 mm




DIE 5649

t = 1.20 mm
W = 0.261 kg/m
P = 159.22 mm




DIE 5650

W = 0.543 kg/m
P = 238.00 mm



DIE 5653

t = 1.20 mm
W = 0.681 kg/m
P = 257.46 mm




DIE 5654


t = 1.50 mm
W = 0.142 kg/m
P = 80.53 mm

092


GLASS TO GLASS CURTAIN WALL



093




GLASS TO GLASS CURTAIN WALL




094

GLASS TO GLASS CURTAIN WALL




DIE 5201

t = 1.40 mm
W = 0.310 kg/m
P = 195.18 mm




DIE 5202

t = 1.20 mm
W = 0.321 kg/m
P = 205.57 mm




DIE 5203

t = 1.20 mm
W = 0.658 kg/m
P = 271.52 mm




DIE 5204

t = 1.20 mm
W = 0.445 kg/m
P = 178.22 mm




DIE 5205

t = 1.10 mm
W = 0.497 kg/m
P = 235.80 mm




DIE 5206

t = 1.20 mm
W = 0.375 kg/m
P = 136.01 mm




DIE 5207

t = 1.20 mm
W = 0.517 kg/m
P = 189.95 mm



DIE 5208

t = 1.10 mm
W = 0.463 kg/m
P = 195.29 mm




DIE 5209

t = 1.10 mm
W = 0.329 kg/m
P = 222.09 mm


095

GLASS TO GLASS CURTAIN WALL




DIE 5211

t = 1.20 mm
W = 0.581 kg/m
P = 185.96 mm




DIE 5298

t = 2.00 mm
W = 1.355 kg/m
P = 283.20 mm




DIE 5892

W = 0.376 kg/m
P = 148.48 mm




DIE 7925

t = 2.00 mm
W = 1.741 kg/m
P = 282.00 mm



DIE 7926

W = 0.403 kg/m
P = 241.22 mm




DIE 7935

W = 1.039 kg/m
P = 221.51 mm

096

CURTAIN WALL - OTHERS

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	111.00	50.00	2.50	2.189	385.55	1049
	47.00	20.10	2.00	0.648	204.97	1050
	50.00	15.00	1.40	0.287	157.25	1051
	102.00	50.00	1.80	1.862	446.57	1255
	111.00	50.00	2.00	1.878	381.59	1256
	74.10	7.00	1.40	0.313	170.53	1257
	46.80	20.00	2.00	0.484	208.01	1258
	111.00	50.00	3.00	2.304	386.97	1264
	47.00	20.10	3.00	0.689	205.61	1265
	50.00	15.00	1.40	0.314	156.97	1266
	111.00	50.00	1.80	2.023	483.93	1267
	100.00	50.00	1.80	1.460	306.00	1758
	140.00	50.00	2.00	2.079	481.41	1798
	118.80	24.13	1.35	0.610	334.93	1799
	120.60	46.80	1.50	1.469	451.68	1800
	120.00	50.00	2.00	1.865	358.33	3289
	115.60	45.60	2.00	1.704	356.00	3290
	50.00	50.00	1.50	0.830	218.33	3291



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id




WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

CURTAIN WALL - OTHERS

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	22.00	14.00	1.50	0.263	72.00	3292
	47.00	11.50	2.00	0.351	139.37	3293
	50.00	15.00	1.30	0.309	161.69	3294
	15.00	18.00	2.00	0.168	66.00	3295
	85.00	50.00	2.00	1.847	306.91	5243
	45.02	48.00	1.40	0.607	326.55	5244
	45.02	48.00	1.40	0.718	393.69	5245
	65.90	50.00	1.50	1.457	422.18	5246
	73.10	45.60	1.60	1.152	253.02	5247
	120.00	50.00	1.80	1.752	344.61	5252
	112.25	45.90	2.00	1.660	319.72	5253
	25.63	48.00	1.20	0.421	261.43	5257
	76.00	40.00	1.20	0.837	238.00	5275
	100.00	50.00	1.25	1.022	359.67	5296
	5.45	47.00	1.50	0.216	110.86	5297
	120.00	50.00	2.50	2.313	342.00	5301
	43.00	50.00	1.40	0.947	271.77	5306
	114.60	44.60	2.00	1.682	334.40	5308



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id




WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

CURTAIN WALL - OTHERS

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	39.40	51.00	1.30	0.410	236.17	5901
	60.00	50.00	1.40	0.838	302.59	5902
	60.00	50.00	1.30	0.807	264.97	5903
	32.60	50.00	1.20	0.554	277.51	5904
	6.21	50.00	1.20	0.197	122.22	5905
	50.00	120.00	2.00	1.984	407.84	6879
	45.70	50.70	3.00	1.454	206.50	6880
	70.00	50.00	1.80	1.304	307.84	6881
	35.00	100.00	2.50	1.733	276.40	7265
	31.20	91.70	-	1.282	265.80	7266
	35.00	30.00	1.25	0.403	241.23	7926
	50.00	120.00	2.00	2.160	361.00	7936
	50.00	50.00	2.00	1.127	221.00	7939
	50.00	195.00	2.25	3.891	493.39	9361
	50.00	120.00	1.50	1.681	343.39	9366
	50.00	126.00	2.50	3.547	483.71	9379
	50.00	135.00	2.20	2.377	386.60	9380
	40.40	100.00	1.50	1.172	286.80	9463



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo





ISO 9001 : 2015
CERTIFICATE ID03/00043



CURTAIN WALL - OTHERS



PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	50.00	120.00	2.00	2.047	352.80	9521
	40.00	60.00	1.50	1.047	344.20	9625
	100.00	95.00	1.65	1.759	442.19	9629
	70.00	91.30	1.50	1.320	359.69	9630
	14.60	70.00	2.50	0.623	212.47	9631
	138.00	70.00	2.50	2.638	446.33	9632
	115.00	64.00	2.00	1.937	374.55	9633
	55.80	70.00	2.00	1.678	354.15	9634
	84.50	70.00	1.40	0.941	500.16	9635
	145.00	45.00	1.65	0.926	417.22	9636
	156.60	9.00	1.65	0.770	354.82	9637
	118.70	37.30	1.50	0.871	435.03	9638
	40.00	60.00	1.40	1.007	340.00	9947
	50.00	60.00	1.40	1.083	360.00	9948
	100.00	6.70	3.40	1.193	299.36	10216
	74.97	80.20	2.51	2.186	393.17	10217
	80.00	25.51	1.51	0.548	261.17	10218
	78.39	9.64	2.81	0.759	223.90	10219

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id



WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

CURTAIN WALL - OTHERS

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	100.00	40.00	1.30	0.990	286.00	10345
	27.50	35.80	1.25	0.396	169.13	10443
	30.00	35.00	1.25	0.404	241.55	10444
	70.00	40.70	1.20	0.756	432.77	10491
	70.00	61.55	-	1.606	492.67	10492
	150.00	70.00	2.00	2.661	445.40	10493
	142.30	65.00	2.00	2.192	422.02	10494
	70.00	28.10	1.55	0.566	266.47	10495
	70.00	9.00	1.00	0.296	205.89	10496
	120.00	80.00	2.00	2.366	406.00	10680
	50.00	34.00	1.20	0.615	205.54	10917
	140.00	50.00	2.00	2.090	489.41	11310
	118.80	23.73	1.35	0.612	335.61	11311
	140.00	46.80	1.50	1.481	460.36	11312
	50.00	15.00	1.10	0.265	172.51	11313
	140.00	15.00	1.40	0.686	361.58	11314



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo





ISO 9001 : 2015
CERTIFICATE ID03/00043

PARTITION SECTION



PARTITION SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	38.70	26.00	1.50	0.381	171.80	7001
	35.50	26.00	1.30	0.370	191.60	7002
	35.50	13.00	1.20	0.330	190.00	7003
	35.50	26.00	-	0.520	257.60	7004
	34.00	35.50	-	0.520	196.00	7005
	34.00	35.50	-	0.540	222.00	7006
	101.00	4.80	1.80	0.640	251.00	7007
	50.80	48.30	-	1.003	310.30	8820
	50.80	12.70	-	0.412	172.24	8821
	50.50	12.50	1.65	0.301	113.40	7017
	42.50	12.50	1.65	0.313	130.04	7017R
	35.00	12.50	1.65	0.233	102.40	8711



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id





WEBSITE
www.pt-alexindo.com

 pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043

GYPSUM PARTITION



GYPSUM PARTITION



105



GYPSUM PARTITION



PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	76.00	32.00	0.90	0.424	347.94	452
	70.00	30.00	0.90	0.372	307.20	453
	63.00	12.50	0.90	0.287	237.28	454
	63.00	12.50	0.90	0.244	196.98	455
	25.00	7.80	0.90	0.103	85.38	456
	38.00	5.50	0.90	0.150	114.00	457
	63.00	24.50	0.90	0.310	255.80	458
	76.00	32.00	1.00	0.472	347.00	7109
	70.00	30.00	1.00	0.412	304.20	7110
	63.00	12.50	1.00	0.309	230.00	7111
	63.00	12.50	1.00	0.263	190.41	7112
	25.00	7.80	1.00	0.110	83.20	7113
	38.00	5.50	1.00	0.150	112.54	7114
	63.00	24.50	1.00	0.373	253.57	7115
	70.50	30.00	1.20	0.500	313.00	7008
	63.50	12.50	1.20	0.375	221.00	7009
	25.18	7.80	1.20	0.137	87.50	7010
	63.50	12.50	1.20	0.325	195.55	7011

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id




WEBSITE
www.pt-alexindo.com

pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

GYPSUM PARTITION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	63.50	24.50	1.20	0.412	255.00	7012
	37.50	5.00	1.20	0.172	108.80	7013
	76.00	31.50	1.20	0.549	321.00	7014
	70.50	-	1.05	0.385	272.63	7018
	80.00	-	1.80	1.198	251.33	7019
	63.50	4.75	0.90	0.196	162.90	7033
	40.50	4.48	-	0.180	99.83	8692
	101.00	-	1.80	0.640	251.00	7007
	90.00	-	1.00	0.312	233.50	7015
	101.00	-	0.90	0.341	255.50	7016
	100.00	-	0.80	0.277	252.86	7181
	87.00	28.00	1.00	0.453	323.24	7030
	87.00	25.40	1.00	0.388	288.60	7031
	87.00	4.50	1.00	0.304	210.50	7032
	87.00	31.50	1.10	0.590	392.00	7034



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id







WEBSITE
www.pt-alexindo.com

 pt.alexindo





ISO 9001:2015
CERTIFICATE ID03/00043



PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	35.50	25.40	1.10	0.209	143.00	8594
	28.80	25.50	1.80	0.290	127.00	8582
	35.50	25.40	1.10	0.193	132.00	8595
	25.50	28.80	1.80	0.280	130.00	8584
	37.70	22.20	1.15	0.260	164.50	8702
	25.40	25.40	1.00	0.164	120.80	8739
	50.00	25.00	-	0.301	192.40	8391
	50.00	27.50	-	0.271	175.00	8390
	42.50	15.00	1.00	0.182	143.50	8357
	44.00	20.00	-	0.461	203.50	8358
	50.80	12.70	1.18	0.236	150.00	1081

SPANDREL SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	110.50	9.35	1.10	0.402	274.80	8831
	113.50	7.20	1.10	0.402	271.70	8637
	120.00	16.00	1.10	0.473	321.00	8534
	47.80	51.20	-	0.410	275.00	8535
	113.00	6.30	1.00	0.359	269.60	7073
	110.50	9.35	1.00	0.360	275.20	7118
	110.00	6.30	0.90	0.348	304.00	8558
	219.15	6.40	1.60	1.000	464.18	9576
	212.70	5.80	1.60	0.956	453.01	9578
	212.70	5.80	1.40	0.852	453.41	10439



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo






ISO 9001 : 2015
CERTIFICATE ID03/00043

LOUVRE SECTION



110

LOUVRE SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	103.25	33.40	2.20	0.769	258.64	469
	126.36	77.72	1.25	0.591	351.41	494
	150.00	25.00	1.30	1.150	312.41	548
	100.00	25.00	1.20	0.747	214.00	981
	104.75	58.00	2.00	0.775	298.52	1035
	103.00	33.40	2.00	0.696	259.78	1082
	70.00	8.00	1.30	0.515	144.89	1167
	100.00	25.00	1.25	0.774	213.29	1269
	50.00	13.00	1.20	0.411	107.59	1270
	150.00	25.00	1.30	1.230	312.11	1271
	70.00	42.00	1.60	0.498	233.00	1469
	100.00	25.00	1.00	0.644	214.73	1667
	200.00	90.00	2.80	5.372	911.52	1971
	149.80	77.22	2.80	2.800	528.41	1972
	50.00	15.50	2.00	0.564	206.81	1973
	200.00	20.00	2.80	1.787	474.07	1974
	90.00	60.00	1.80	0.719	294.79	2731
	150.00	40.00	1.50	1.438	376.27	3085R



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id



WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

LOUVRE SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	38.00	12.70	2.30	0.365	123.03	3241
	110.00	33.40	2.30	0.817	274.52	3242
	100.00	47.00	2.30	0.933	303.04	3583
	50.00	12.00	1.10	0.355	106.41	3587
	120.00	41.00	1.20	0.660	344.16	3621
	12.00	50.00	1.10	0.355	106.41	3587
	100.00	46.00	2.30	0.959	311.70	3588
	100.00	20.00	1.50	0.859	210.44	3655
	150.00	31.00	-	1.932	289.22	3793
	104.75	58.00	2.30	0.868	291.67	3721
	147.00	44.50	1.50	0.773	376.21	3802
	70.60	30.00	1.20	0.297	183.24	3846
	120.00	41.00	1.50	0.718	342.52	3858
	85.00	20.00	2.00	1.055	178.35	3886
	113.67	17.98	1.30	0.499	281.83	4352
	59.00	10.75	2.00	0.723	126.79	4543
	89.30	60.00	3.25	0.492	258.11	4953
	96.00	15.00	1.20	0.870	197.48	5160



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com


EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com



ISO 9001 : 2015
CERTIFICATE ID03/00043

LOUVRE SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	146.00	123.14	2.00	1.189	445.82	5281
	200.00	60.00	2.00	2.560	494.74	5314
	98.20	94.97	1.80	0.839	340.32	5956
	132.00	18.00	1.10	0.497	329.00	6048
	70.60	30.00	1.00	0.255	183.04	7072
	90.00	74.00	1.75	0.725	298.96	8037
	142.70	30.25	1.75	0.892	368.14	8038
	57.49	7.49	1.00	0.192	142.11	8174
	70.00	30.80	1.35	0.349	180.52	8665
	101.60	44.45	1.50	0.962	474.46	8828
	94.47	98.20	1.50	0.685	324.10	8829
	34.20	15.00	1.10	0.194	133.94	9568
	70.64	31.75	1.10	0.295	189.83	9569
	132.00	18.00	1.30	0.588	330.05	9571
	103.25	33.40	2.20	0.737	258.25	9574
	88.50	9.70	1.20	0.644	183.08	10423
	99.00	24.00	1.20	0.736	211.59	10918
	232.60	80.00	2.00	3.195	642.47	11127



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



LOUVRE SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	212.05	80.00	2.00	3.094	653.49	11128
	199.85	80.00	2.00	2.648	546.78	11129
	70.00	40.00	1.15	0.309	193.91	11217
	208.78	100.00	2.00	3.641	732.06	11459
	217.52	100.00	2.00	3.552	726.68	11460
	199.76	100.00	2.00	2.835	566.34	11461



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id



WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOWCASE SECTION



SHOWCASE SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	23.50	23.50	-	0.231	126.43	6350
	23.50	23.50	-	0.226	124.07	6351
	25.00	25.00	-	0.246	134.03	6354
	25.00	25.00	-	0.241	131.67	6342
	30.00	30.00	-	0.289	154.03	6353
	30.00	30.00	-	0.284	151.67	6343
	34.80	24.70	-	0.288	153.43	6355
	34.80	24.70	-	0.283	151.07	6349
	20.00	20.00	-	0.159	76.35	6356
	23.00	23.00	-	0.185	88.35	6357
	23.50	23.50	-	0.189	90.35	6347
	36.00	23.50	-	0.244	115.35	6352
	34.50	23.00	-	0.235	111.35	6341
	23.00	23.00	-	0.177	84.70	4338
	23.00	10.00	-	0.136	66.00	6345
	34.50	23.00	-	0.227	127.70	4339
	25.00	25.00	-	0.210	100.00	6344
	36.00	24.00	-	0.253	120.00	6340



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOWCASE SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	23.50	23.50	-	0.197	94.00	6348
	23.50	23.50	0.90	0.259	125.94	6422
	23.50	23.50	-	0.253	123.58	6423
	30.00	30.00	-	0.324	153.54	6426
	30.00	30.00	-	0.318	151.18	6313
	25.00	25.00	-	0.275	133.54	6427
	31.70	31.70	-	0.335	157.98	4213
	34.80	24.70	-	0.322	152.94	6428
	34.80	24.70	-	0.316	150.58	6421
	34.80	24.70	-	0.317	149.71	6412
	34.80	24.70	-	0.312	147.35	6416
	34.80	25.00	-	0.320	150.96	4216
	34.80	25.00	-	0.313	147.95	4215
	23.50	23.50	-	0.212	90.35	6317
	38.10	25.40	-	0.292	123.14	4219
	25.40	25.40	-	0.229	97.31	4220
	36.00	23.50	-	0.265	112.18	6411
	36.00	23.50	-	0.273	115.14	6424



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



SHOWCASE SECTION



PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	25.00	25.00	-	0.250	186.60	8626
	38.10	25.40	-	0.332	123.14	4601
	25.00	25.00	-	0.296	221.60	8660
	25.00	25.00	-	0.301	224.00	8659
	34.75	25.30	-	0.356	151.03	7124
	31.70	31.70	-	0.333	126.80	4518
	29.60	13.80	1.35	0.250	138.00	8573
	24.00	11.94	1.00	0.165	124.64	8640
	23.50	9.50	0.80	0.115	107.80	6709
	24.50	12.00	1.00	0.220	90.00	8570
	26.70	12.20	1.50	0.320	132.00	8571
	40.00	9.00	1.00	0.235	174.28	8260
	32.00	9.60	1.10	0.224	141.00	7182
	31.70	8.70	1.10	0.218	141.00	8588
	40.00	9.00	1.00	0.242	172.48	4635
	31.50	8.50	1.10	0.209	141.00	8651
	22.00	9.20	1.05	0.166	108.00	8646
	23.01	10.03	1.15	0.191	109.24	8585

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOWCASE SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	17.40	6.00	-	0.130	57.00	8654
	15.85	4.95	-	0.093	49.90	6711
	22.00	9.50	0.80	0.130	108.71	6710
	17.45	6.27	0.17	0.170	57.28	8587
	38.00	38.00	1.20	0.467	195.00	7125
	28.00	38.00	1.50	0.400	153.00	7126
	25.40	6.50	-	0.170	71.30	8572
	57.15	16.00	1.80	0.390	175.00	8574
	15.00	6.40	-	0.087	42.50	8596
	24.00	11.94	1.02	0.228	129.90	8586
	17.00	5.60	1.10	0.094	63.78	8648
	22.00	12.70	-	0.266	96.30	8599
	90.00	24.00	0.80	0.372	344.70	6430
	90.00	24.00	0.80	0.359	333.10	6708
	90.00	24.00	0.80	0.362	335.33	7866
	90.00	23.00	0.80	0.348	322.78	7867
	134.00	24.00	0.90	0.580	477.41	4699
	134.00	24.00	0.90	0.600	494.61	4700



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOWCASE SECTION



PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	134.00	24.00	0.90	0.564	464.61	4706
	134.00	24.00	0.90	0.552	457.45	7864
	120.00	23.00	0.90	0.504	417.16	6429
	120.00	23.00	0.90	0.520	430.17	6433
	134.00	24.00	0.90	0.573	473.45	7865
	134.00	24.00	1.00	0.678	504.90	6722
	134.00	24.00	1.00	0.655	487.90	6723
	134.00	24.00	1.00	0.614	457.90	4629
	134.00	24.00	1.00	0.637	474.90	4630
	134.00	24.00	1.00	0.666	503.00	7604
	134.00	24.00	1.00	0.642	479.20	7605
	135.00	25.00	1.00	0.661	494.60	7593
	135.00	25.00	1.00	0.639	478.90	7594
	135.00	25.00	1.00	0.715	533.41	7598
	135.00	25.00	1.00	0.628	506.90	7599
	135.00	25.00	1.00	0.704	522.60	8094
	135.00	25.00	1.00	0.682	506.90	8095
	134.00	24.00	1.00	0.632	474.10	6738

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

SHOWCASE SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	135.00	25.00	1.05	0.702	493.00	8641
	135.00	25.00	1.05	0.719	508.70	8642
	101.50	25.00	1.00	0.564	425.00	8650
	100.50	25.00	1.10	0.615	405.50	8653
	100.00	25.00	1.00	0.506	370.00	7238



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



LADDER SECTION



PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	100.00	35.37	1.15	0.599	288.43	9293
	86.50	26.30	1.10	0.461	245.13	9294
	120.00	26.30	1.20	0.784	443.59	9807
	24.00	14.00	1.00	0.141	103.18	9808
	76.20	25.40	1.00	0.337	248.22	9806
	39.00	22.23	1.20	0.247	151.35	9809
	110.00	27.00	1.20	0.814	315.70	6373
	34.90	19.90	0.90	0.242	179.81	6378
	27.90	23.25	1.20	0.289	91.70	6379
	72.90	31.00	1.40	0.574	279.65	6380
	35.30	20.40	1.00	0.250	169.40	9516
	46.70	28.00	1.15	0.318	192.63	5120R
	46.35	33.00	1.00	0.359	150.01	5198
	35.30	20.40	1.00	0.265	182.20	5199
	27.50	24.00	1.00	0.293	95.37	5200
	27.50	24.00	1.00	0.243	95.36	5200
	35.30	20.40	1.00	0.232	157.29	5999
	109.00	25.40	1.90	1.061	475.00	8493

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043

LADDER SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	31.20	26.00	1.80	0.505	210.62	8492
	35.00	20.35	1.70	0.395	181.95	8495
	26.30	-	1.60	0.384	176.75	8494
	67.00	31.80	2.95	0.995	259.90	8491E
	76.20	19.00	2.00	0.580	220.00	8518
	76.20	19.00	2.00	0.608	222.00	8519
	76.20	19.00	1.50	0.520	223.00	8563
	32.00	-	-	0.440	208.00	8515
	67.00	31.80	2.90	1.010	261.49	8516
	67.00	31.80	3.40	1.140	280.00	8517



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo














ISO 9001 : 2015
CERTIFICATE ID03/00043



JAMB SECTION



PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	70.00	30.18	1.30	0.665	365.52	468
	70.00	40.00	1.30	1.104	339.85	467
	32.50	17.80	1.00	0.187	135.63	3582
	72.00	25.00	1.20	0.598	354.31	472
	72.00	25.00	1.20	0.961	319.22	473
	72.00	22.70	0.95	0.470	341.43	4410
	72.00	18.00	0.42	0.474	321.82	4411
	72.00	18.00	1.00	0.474	322.11	475
	72.00	22.00	1.20	0.815	303.12	3618
	33.80	17.80	0.85	0.160	136.95	4415R
	70.00	30.00	1.30	0.689	383.38	7322
	70.00	30.00	1.30	1.028	321.54	11179
	33.60	17.80	1.00	0.186	136.31	3604
	70.00	30.20	1.40	1.137	352.56	1055
	70.00	20.00	1.40	0.639	331.98	1059
	70.00	20.00	1.40	0.653	338.08	1060
	24.80	18.90	1.00	0.147	103.55	1057
	101.00	45.00	1.15	0.882	539.11	10522

TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id


WEBSITE
www.pt-alexindo.com

 pt.alexindo




ISO 9001 : 2015
CERTIFICATE ID03/00043

JAMB SECTION

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	77.00	18.00	1.15	0.413	242.80	10523
	33.30	18.00	1.10	0.209	141.49	3317

AMPLIMESH

PROFILE	SIZE (mm)			WEIGHT (kg/m)	PERIMETER (mm)	SECTION NO.
	Width	Height	Thickness			
	72.50	20.00	1.00	0.595	245.97	9241
	72.00	20.00	1.00	0.547	247.14	9241R
	71.90	19.30	1.00	0.506	240.78	9567
	72.00	19.00	0.90	0.488	245.24	9581
	71.90	19.00	0.90	0.481	237.16	9582
	72.50	20.00	1.15	0.654	243.97	7597
	72.50	20.00	1.20	0.658	244.46	7603
	75.50	20.05	1.20	0.723	274.29	7626
	73.00	73.00	7.80	4.213	500.50	7075
	194.00	7.50	1.80	2.054	494.42	362
	213.80	7.50	1.85	2.272	552.31	480
	273.20	7.50	1.85	3.325	736.10	361
	273.20	7.50	1.80	2.844	692.93	506



TEL. +62 21 884 3460

FAX. +62 21 884 2301
+62 21 884 2356

EMAIL (LOCAL)
adm-support@alexindo.com

EMAIL (EXPORT)
alexindo-sales@cbn.net.id

WEBSITE
www.pt-alexindo.com

 pt.alexindo



ISO 9001 : 2015
CERTIFICATE ID03/00043



PT. ALEXINDO (ALUMINIUM EXTRUSION INDONESIA)

(**BEKASI**) Jl. Raya Bekasi Km. 28.7, Jawa Barat 17124 Indonesia

(**KARAWANG**) Kawasan Industry Mandala Pratama Permai, Dawuan, Cikampek, Jawa Barat 41373 Indonesia

TEL. +62 21 884 3460; **FAX.** +62 21 884 2301 / +62 21 884 2356

EMAIL (LOCAL): adm-support@alexindo.com; **EMAIL (EXPORT):** alexindo-sales@cbn.net.id



pt.alexindo; **WEBSITE:** www.pt-alexindo.com